


## **Issa Yavari**



Department of Chemistry  
Tarbiat Modarres University,  
Tehran, Iran



**Last update, May, 2016**

### **I. PERSONAL INFORMATION:**

Name:	Issa Yavari
Date of Birth:	March 15, 1948
Place of Birth:	Golavij, Kermanshah, Iran
Address:	Department of Chemistry
P.O.Box.	14115-175 Tehran, Islamic Republic of Iran
Tel:	+9821 22064465; Cellphone 0912-1440137
Fax:	+9821 82886455
E-mail:	yavarisa@modares.ac.ir

### **II. EDUCATIONAL RECORDS:**

Degree	Institution	Field	Date
B.Sc	Pars College, Tehran,	Chemistry	1967-1971

	Iran		
M.Sc	Pars College, Tehran, Iran	Chemistry	1971-1973
Ph.D.	University of California at Los Angeles (UCLA)	Organic Chemistry	1974-1977
Post Doc	California Institute of Technology (CALTECH)		1977-1978

### **III. ACADEMIC EXPERIENCES:**

Institute of Chemistry, University of Mazandaran, Babolsar, Iran, Assistant Professor - 1978-1982

Tarbiat Modares University, Tehran, Iran, Professor of Organic Chemistry

### **VI. RESEARCH INTERESTS:**

- Stereochemistry and Conformational Analysis
- Proton-Transfer Reactions
- Dynamic NMR Spectroscopy
- Intramolecular Wittig Reactions
- Computational Chemistry
- Synthetic Methodology and Green Chemistry

## ***Issa Yavari: List of Publications***

### **1975**

1. Yavari, I., Esfandiari, S., Mostashari, A.J., Hunter, P.W.W., Photoreaction of benzofurazan and dimethyl acetylenedicarboxylate. Synthesis of isomeric isoxazoles. Carbon-13 nuclear magnetic resonance spectra of isoxazoles and oxazoles, *Journal of Organic Chemistry*, 1975, **40**, 2880-2883
2. Anet, F.A.L., Yavari, I., The conformations of 1,3,5- and 1,3,6-cyclooctatriene, *Tetrahedron Letters* **16**, 4221-4224
3. Anet, F.A.L., Yavari, I., Conformation of 1,2,6-cyclononatriene, *Journal of the Chemical Society, Chemical Communications*, 1975, 927
4. Anet, F.A.L., Yavari, I., Conformational properties of cis-cis-1,3-cyclooctadiene and its epoxides, *Tetrahedron Letters*, 1975, **16**, 1567-1570

### **1976**

5. Anet, F.A.L., Yavari, I., Ferguson, I.J., Katritzky, A.R., Moreno-Mañas, M., Robinson, M.J.T., The conformational analysis of saturated heterocycles. N-inversion in hindered piperidines, *Journal of the Chemical Society, Chemical Communications*, 1976, 399-400
6. Anet, F.A.L., Yavari, I., Carbon-13 nuclear magnetic resonance study of pyridine N-oxide, *Journal of Organic Chemistry*, 1976, **41**, 3589-3591
7. Anet, F.A.L., Yavari, I., The chiral stabilities of "trimeric ketone peroxides", *Tetrahedron Letters*, 1976, **17**, 3787-3790
8. Anet, F.A.L., Yavari, I., The Conformational Equilibrium in N,N'-Dimethylpiperazine, *Tetrahedron Letters*, 1976, **17**, 2093-2096
9. Anet, F.A.L., Yavari, I., Carbon-13 NMR Spectra of Benzofuroxan and Related Compounds, *Org Magn Reson*, 1976, **8**, 158-160.
10. Anet, F.A.L., Yavari, I., Carbon-13 NMR Chemical Shifts of Carbodiimides, *Org Magn Reson*, 1976, **8**, 327-328.

### **1977**

11. Anet, F.A.L., Yavari, I., Conformational properties of cis,cis-1,5-cyclononadiene. Dynamic nuclear magnetic resonance spectroscopy and iterative force-field calculations, *Journal of the American Chemical Society*, 1977, **99**, 6496-6499
12. Anet, F.A.L., Yavari, I., Nitrogen inversion in N-chloropiperidine, *Tetrahedron Letters*, 1977, **18**, 3207-3210

- 13.** Anet, F.A.L., Yavari, I., Nitrogen inversion in piperidine, *Journal of the American Chemical Society*, 1977, **99**, 2794-2796
- 14.** Anet, F.A.L., Yavari, I., Generalized anomeric effect and barrier to internal rotation about the oxygen-methylene bond in chloromethyl methyl ether, *Journal of the American Chemical Society*, 1977, **99**, 6752-6753
- 15.** Anet, F.A.L., Yavari, I., Conformational properties of cis,cis-1,4-cyclooctadiene. Dynamic nuclear magnetic resonance spectroscopy and iterative strain-energy calculations. *Journal of the American Chemical Society*, 1977, **99**, 6986-6991
- 16.** Anet, F.A.L., Yavari, I., Dynamics of Cyclic Allenes. Conformational Properties of 1,2-Cyclononadiene, 1,2,6-Cyclononatriene and 1,2,6,7-Cyclodecatetraene. Dynamic NMR Spectroscopy and Iterative Force-Field Calculations, *Journal of the American Chemical Society*, 1977, **99**, 7640-7649.

## 1978

- 17.** Anet, F.A.L., Yavari, I., Unusual population of the axial-equatorial conformation in N,N'-dichloropiperazine, *Journal of the Chemical Society, Chemical Communications*, 1978, 58-59
- 18.** Anet, F.A.L., Degen, P.J., Yavari, I., Conformations of azocane (azacyclooctane), *Journal of Organic Chemistry*, 1978, **43**, 3021-3023
- 19.** Yavari, I., Botto, R.E., Roberts, J.D., Nitrogen-15 nuclear magnetic resonance spectroscopy. Furazans and related systems, *Journal of Organic Chemistry*, 1978, **43**, 2542-2544
- 20.** Staral, J.S., Yavari, I., Roberts, J.D., Prakash, G.K.S., Donovan, D.J., Olah, G.A., Low-temperature carbon-13 nuclear magnetic resonance spectroscopic investigation of C<sub>4</sub>H<sup>+</sup>. Evidence for an equilibrium involving the nonclassical bicyclobutonium ion and the bisected cyclopropylcarbinyl cation, *Journal of the American Chemical Society* 1978, **100**, 8016-8018
- 21.** Anet, F.A.L., Yavari, I., Conformations of cis,cis-1,3-cyclooctadiene and its epoxides. Dynamic nuclear magnetic resonance spectroscopy and iterative force-field calculations, *Journal of the American Chemical Society*, 1978, **100**, 7814-7819
- 22.** Yavari, I., Roberts, J.D., Nitrogen-15 nuclear magnetic resonance spectroscopy. Carbodiimides, *Journal of Organic Chemistry*, 1978, **43**, 4689-4693
- 23.** Yavari, I., Roberts, J.D., Nitrogen-15 nuclear magnetic resonance spectroscopy. Differential rates of N-H proton-transfer reactions in phenylhydrazine, *Journal of the American Chemical Society*, 1978, **100**, 4662-4664
- 24.** Olah, G.A., Prakash, G.K.S., Donovan, D.J., Yavari, I., Concerning the structure and modes of degenerate rearrangement of the nonclassical 1-methylcyclobutyl and related carbocations, *Journal of the American Chemical Society*, 1978, **100**, 7085-7086
- 25.** Yavari, I., Roberts, J.D., Nitrogen-15 nuclear magnetic resonance spectroscopy. A simple procedure for determination of the rates of N-H proton exchange of cis- and trans-1-aza-2-cyclononanone, *Journal of the American Chemical Society*, 1978, **100**, 5217-5218
- 26.** Anet, F.A.L., Yavari, I., Force-field calculations for some unsaturated cyclic hydrocarbons, *Tetrahedron*, 1978, **34**, 2879-2886

- 27.** Yavari, I., Roberts, J.D.,  $^{15}\text{N}$  nuclear magnetic resonance spectroscopic investigation of differential rates of base-catalyzed N-H proton-exchange reactions of 1-aza-2-cycloheptanone and 1-aza-2-cycloheptanethione, *Tetrahedron Letters*, 1978, **19**, 2491-2494
- 28.** Yavari, I., Roberts, J.D., Differential rates of proton exchange for the guanidinium nitrogens of L-arginine determined by natural-abundance nitrogen-15 nuclear magnetic resonance spectroscopy. *Biochemical and Biophysical Research Communications*, 1978, **83**, 635-640

## 1979

- 29.** Anet, F.A.L., Yavari, I., A Dynamic NMR Study of Nitrogen Inversion in *N,N'*-Dimethylimidazolidine, *Org Magn Reson*, 1979, **12**, 362-364.
- 30.** I Yavari, JS Staral, JD Roberts, Nitrogen-15 NMR Spectra of Isocyanates, Isothiocyanates and *N*-Sulfinylamines, *Org Magn Reson*, 1979, **12**, 340-342.
- 31.** I Yavari, JD Roberts, Nitrogen-15 NMR Spectroscopy. Rates of Base-Catalyzed N-H Proton Exchanges of Five-to-Nine-Membered Lactams in Presence of *N*-Methylacetamide in Water and in Dimethyl Sulfoxide, *Nouv J Chim*, 1979, **3**, 279-282.
- 32.** FAL Anet, NR Easton, I Yavari, Carbon-13 NMR Spectra of *cis cis*-1,5-Cyclooctadiene Monoepoxide and *cis, syn, cis*-1,5-Cyclooctadiene Diepoxide, *Org Magn Reson*, 1979, **12**, 299-301.
- 33.** I Yavari, JD Roberts, Nitrogen-15 NMR Spectroscopy. Pyridine *N*-Oxides and Quinoline *N*-Oxides, *Org Magn Reson*, 1979, **12**, 87-91.

## 1980

- 34.** I Yavari, JD Roberts, Nitrogen-15 NMR Spectroscopy. Differential Rates of N-H Proton-Exchange of Hydrazinocarbothioamide and 4-Methylhydrazinocarbothioamide in Dimethyl Sulfoxide, *Org Magn Reson*, 1980, **14**, 61-64.
- 35.** I Yavari, JD Roberts, Nitrogen-15 NMR Spectroscopy. N-H Proton Exchange Reactions of Urea and Substituted Ureas, *Org Magn Reson*, 1980, **12**, 68-71.
- 36.** I Yavari, Conformational Energy Surface of 1,2-Cyclooctadiene, *J Mol Struct*, 1980, **65**, 169-172.
- 37.** I Yavari, A Proton Nuclear Magnetic Resonance Spectroscopic Study of Conformational Equilibration of 1-Aza-bicyclo[3.2.2]nonane, *J Mol Struct*, 1980, **67**, 293-296.

## 1981

- 38.** Abdi, S., Yavari, I., Askari, M. (1981) Conformations of methylcyclooctane. A combined iterative force field-CNDO approach. *Journal of Molecular Structure: THEOCHEM* 76 (1), pp. 37-41
- 39.** I Yavari, A Proton NMR Spectroscopic Study of Conformational Properties of 1,3-Dioxepane and 4,4,7,7-Tetramethyl-1,3-dioxepane, *Org Magn Reson*, 1981, **14**, 511-514.
- 40.** P Rashidi-Ranjbar, I Yavari, On the Structure of Dithizone, *Org Magn Reson*, 1981, **16**, 168-169.

## 1982

- 41.** Y. Chun, I Yavari, JD Roberts, Nitrogen-15 Nuclear Magnetic Resonance Spectroscopy. N-H Proton Exchange Reactions of Urea, Thiourea, Acetamide and Thioacetamide, *Org Magn Reson*, 1982, **18**, 74-76.
- 42.** I Yavari, JD Roberts, Nitrogen-15 Nuclear Magnetic Resonance Spectroscopic Study of Compounds with Nitrogen-Nitrogen Bond, *Org Magn Reson*, 1982, **20**, 235-238.

## 1984

- 43.** I Yavari, S Abdi, Further Studies of the Mixtures Obtained From Reaction Between 1,8-Diaminonaphthalene and Dimethyl Acetylenedicarboxylate, *J Chem Res (S)*, **1984**, 16-17.
- 44.** I Yavari, Mass Spectrometric Studies of Isomeric Dimethyl 3-(4-Cyanobuta-1,3-dienyl)isoxazole-4,5-dicarboxylates, *Org Mass Spectrometry*, 1984, **19**, 250-252.
- 45.**

## 1992

- 46.** I Yavari, A Hosain-Nia, Differential Rates of N-H Proton Exchange Reaction of Two Isomeric Enamines, *Magn Reson Chem*, 1992, **30**, 413-414.

## 1993

- 47.** Yavari, I., Baharfard, R., Asghari, S. (1993) Dynamics of cyclic allenes: conformational properties of 1,2,4-cyclononatriene and 1,2,5-cyclononatriene. *Journal of Molecular Structure: THEOCHEM* 283 (C), pp. 277-282

## 1994

- 48.** Yavari, I., Asghari, S., Shaabani, A. (1994) Dynamics of cyclic allenes. Iterative molecular mechanics calculations of 1,2,5,6-cyclodecatetraene. *Journal of Molecular Structure: THEOCHEM* 309 (1), pp. 53-57
- 49.** I Yavari, M. F. Mosavi, A Shaabani, D Nori-Shargh, Conformational Properties of (Z,Z)-Cyclohepta-1,3-diene and (Z,Z)-Cyclohepta-1,4-diene, *J Chem Res (S)*, **1994**, 272-273.
- 50.** I Yavari, A Shaabani, Oxidation of Primery and Secondary Alcohols to Carbonyl Compounds Using Hexamethylenetetraamine-Bromine, *J Chem Res (S)*, **1994**, 274-275.
- 51.** I Yavari, F Aghajani, A Shaabani, Conformational Energy Surface of Cyclonona-1,2,5,6-tetraene, *J Chem Res (S)*, **1994**, 110-111.
- 52.** I Yavari, M Heydari, D Nori-Shargh, Reaction Between *tert*-Butyl Isocyanide and Dimethyl Acetylenedicarboxlate in Presence of C-H Acids, *J Chem Res (S)*, **1994**, 384-385.
- 53.** A Shaabani, I Yavari, D Nori-Shargh, Configurational Properties of Sulfur Diimide, Methyl Sulfur Diimide, and Dimethyl Sulfur Diimide, *J Mol Struct (THEOCHEM)*, 1994, **310**, 279-286.

## 1995

- 54.** Yavari, I., Riazi-Kermani, F. (1995) Zinc-promoted Barbier-type reaction of propargyl bromide with aldehydes in aqueous media. *Synthetic Communications* 25 (19), pp. 2923-2928
- 55.** I Yavari, D Nori-Shargh, AM1 Study of Single-Atom *peri*-Bridged Naphthalenes, *J Phys. Org Chem*, 1995, **8**, 696-698.
- 56.** I Yavari, D Nori-Shargh, Response of Semi-empirical SCF MO Methods to Steric and Resonance Effects in a Crowded Benzene-Dewar Benzene System, *J Chem Res (S)*, **1995**, 318-319.

## 1996

- 57.** Yavari, I., Shaabani, A., Soliemani, H., Nourmohammadian, F., Bijanzadeh, H.R. (1996) Effect of internal hydrogen bonding on base-catalyzed NH proton-exchange reactions of isomeric enamines. *Magnetic Resonance in Chemistry* 34 (12), pp. 1003-1006
- 58.** Yavari, I., Davar-Panah, M., Heydari, M., Najafian, K., Zonouzi, A. (1996) A Facile Route to Highly Functionalized Ketenimines. *Monatshefte fur Chemie* 127 (8-9), pp. 963-966
- 59.** Yavari, I., Tahmassebi, D., Nori-Shargh, D., Heydari, M. (1996) AM1 Study of Conformations of Oxocane and 1,3-Dioxocane. *Monatshefte fur Chemie* 127 (10), pp. 1021-1025
- 60.** Yavari, I., Ramazani, A. (1996) Vinyltriphenylphosphonium Salt Mediated Preparation of Dialkyl 2H-1-Benzopyran-2,3-dicarboxylates. An Efficient One-pot Synthesis of 2H-Chromene Derivatives. *Journal of Chemical Research - Part S* (8), pp. 382-383
- 61.** Yavari, I., Fallah-Bagher-Shaidaii, H., Nori-Shargh, D. (1996) MNDO study of conformational properties of cyclic sulfur diimides. *Journal of Molecular Structure: THEOCHEM* 364 (1), pp. 79-84

- 62.** Yavari, I., Nori-Shargh, D., Fallah-Bagher-Shaidaii, H. (1996) Reaction of Meldrum's Acid with Alkyl Isocyanides. Synthesis of a Novel Class of Furan Derivatives. *Journal of Chemical Research - Part S* (3), pp. 146-147
- 63.** Yavari, I., Ramazani, A., Yahya-Zadeh, A. (1996) Synthesis of densely functionalized N-hydroxypyrrroles mediated by vinyltriphenylphosphonium salt. *Synthetic Communications* 26 (23), pp. 4495-4499

## 1997

- 64.** Yavari, I., Esmaili, A.A., Ramazani, A., Bolbol-Amiri, A.R. (1997) A Facile Route to Functionalized 1-Arylsulfonyl-1,2-dihydroquinolines. *Monatshefte fur Chemie* 128 (8-9), pp. 927-931
- 65.** Yavari, I., Islami, M.R. (1997) One-pot synthesis of sterically congested phosphorus ylides. *Phosphorus, Sulfur and Silicon and Related Elements* 130, pp. 229-233
- 66.** Yavari, I., Shaabani, A., Maghsoodlou, M.T. (1997) On the Reaction between Alkyl Isocyanides and 3-Benzylidene-2,4-pentanedione. A Convenient Synthetic Route to Densely Functionalized Furans. *Monatshefte fur Chemie* 128 (6-7), pp. 697-700
- 67.** Yavari, I., Nori-Shargh, D., Baharfar, R., Hekmat-Shoar, R., Norouzi-Arasi, H. (1997) Configurations of Cyclododeca-1,2,4,5,7,8,10,11-octaene and Its Octamethyl Derivative. *Journal of Chemical Research - Part S* (10), pp. 376-377
- 68.** Yavari, I., Ramazani, A., Esmaili, A.A. (1997) One-step Synthesis of Dialkyl 1,2-Dihydroquinoline-2,3-dicarboxylates. A Vinyltriphenylphosphonium Salt Mediated Intramolecular Wittig Reaction. *Journal of Chemical Research - Part S* (6), pp. 208-209
- 69.** Yavari, I., Ramazani, A. (1997) One-pot stereoselective synthesis of dimethyl (2-hydroxy-4,4-dimethylcyclohex-1-en-6-one-1-yl)-3-(diphenylphosphonato) butanedioate. *Phosphorus, Sulfur and Silicon and Related Elements* 130, pp. 73-77
- 70.** Yavari, I., Maghsoodlou, M.T., Pourmossavi, A. (1997) Reaction between 1,10-Phenanthroline and Dialkyl Acetylenedicarboxylates. A Facile Synthetic Route to Helical Dipyrrolophenanthrolines. *Journal of Chemical Research - Part S* (6), pp. 212-213
- 71.** Yavari, I., Baharfar, R., Nori-Shargh, D., Shaabani, A. (1997) Dynamics of Cyclic Allenes. Conformational Energy Surface of Cyclodeca-1,2,4,5-tetraene. *Journal of Chemical Research - Part S* (5), pp. 162-163 0
- 72.** Yavari, I., Baharfar, R. (1997) Regioselective Reaction between 3-Ethoxalyl-5-methylcyclopentane-1,2,4-trione and Vinyltriphenylphosphonium Salts: Convenient Synthetic Route to Functionalized Cyclopenta[b]furans. *Journal of Chemical Research - Part S* (4), pp. 146-147
- 73.** Yavari, I., Nori-Shargh, D., Fallah-Bagher-Shaidaii, H., Dadgar, M. (1997) MNDO study of nitrogen atom inversion in piperazine, N,N'-dimethylpiperazine and N,N'-dichloropiperazine. *Iranian Journal of Chemistry and Chemical Engineering* 16 (2), pp. 63-67
- 74.** Yavari, I., Tahmassebi, D., Zonouzi, A., Nori-Shargh, D. (1997) AM1 Study of the Chiral Stabilities of Ketenimines. *Journal of Chemical Research - Part S* (12), pp. 476-477

- 75.** Yavari, I., Taherpour, A., Jabbari, A. (1997) Conformational Properties of Cyclododeca-1,5,9-triyne. *Journal of Chemical Research - Part S* (6), pp. 210-211 0
- 76.** Yavari, I., Mostafavi, H., Tahmassebi, D., Hekmat-Shoar, R. (1997) Condensation of 1,3-Diketones with 1,8-Diaminonaphthalene: Synthesis of Bis(2,3-dihydroperimidine-2-spiro)cycloalkanes. *Monatshefte fur Chemie* 128 (6-7), pp. 675-679
- 77.** Yavari, I., Shaabani, A., Asghari, S., Olmstead, M.M., Safari, N. (1997) Reaction between alkyl isocyanides and 1,1,1,5,5,5-hexafluoropentane-2,4-dione. Synthesis and structure of 1-alkyl-3,5-bis(trifluoromethyl)-5-hydroxy-1H-pyrrol-2(5H)-ones. *Journal of Fluorine Chemistry* 86 (1), pp. 77-80
- 78.** Yavari, I., Baharfar, R. (1997) Vinyltriphenylphosphonium salt mediated one-pot synthesis of functionalized 3-(triphenylphosphoranylidene)butyrolactones. *Tetrahedron Letters* 38 (24), pp. 4259-4262
- 79.** Yavari, I., Tahmassebi, D., Nori-Shargh, D. (1997) AM1 study of conformational and configurational energy surfaces of 1,6-, 1,4-, and 3,4-diazacyclonona-1,2,4,5-tetraene. *Journal of Molecular Structure: THEOCHEM* 394 (1), pp. 33-40
- 80.** Yavari, I., Taj-Khorshid, E., Nori-Shargh, D., Balalaie, S. (1997) Semiempirical SCF MO study of bowl-to-bowl inversion in corannulene and smaller circulenes. *Journal of Molecular Structure: THEOCHEM* 393 (1-3 SPEC. ISS.), pp. 163-166
- 81.** Yavari, I., Baharfar, R., Nori-Shargh, D. (1997) Dynamics of cyclic allenes. Conformational properties of cyclonona-1,2,4,5-tetraene. *Journal of Molecular Structure: THEOCHEM* 393 (1-3 SPEC. ISS.), pp. 167-170
- 82.** Yavari, I., Khorramabadi-Zad, A., Rashidi-Ranjbar, P., Fallah-Bagher-Shaidaii, H. (1997) Reaction between trimethyl phosphite and dimethyl acetylenedicarboxylate in the presence of 5,5-dimethylcyclohexane-1,3-dione. *Journal of Molecular Structure: THEOCHEM* 389 (1-2), pp. 155-158
- 83.** Yavari, I., Ramazani, A. (1997) Triphenylphosphine catalyzed stereoselective synthesis of O-vinyloximes. *Synthetic Communications* 27 (8), pp. 1449-1454
- 84.** Yavari, I., Ramazani, A. (1997) An efficient one-pot synthesis of dialkyl 3H-naphtho[2,1,b]pyran-2,3-dicarboxylates mediated by vinyl triphenylphosphonium salt. *Synthetic Communications* 27 (8), pp. 1385-1390

## 1998

- 85.** Yavari, I., Mosslemin, M.H., Montahaei, A.R. (1998) Stereoselective Synthesis of Dialkyl 2-(3-Methoxy-1-oxoinden-2-yl)-3-(dimethylphosphonato)-butanedioates. *Journal of Chemical Research - Part S* (9), pp. 576-577
- 86.** Yavari, I., Asghari, S., Samadi-Zadeh, M. (1998) A facile one-pot synthesis of functionalized N-hydroxypyrrrole mediated by vinyltriphenylphosphonium salt. *Iranian Journal of Chemistry and Chemical Engineering* 17 (1), pp. 38-41

- 87.** Yavari, I., Islami, M.R. (1998) Vinyltriphenylphosphonium Salt Mediated Serendipitous Synthesis of a Functionalized Pyrroloisoindole Derivative. New Synthesis of Trimethyl 5-Arylpyrrole-2,3,4-tricarboxylates. *Journal of Chemical Research - Part S* (3), pp. 166-167
- 88.** Yavari, I., Maghsoodlou, M.T. (1998) Reaction between Alkyl Isocyanides and Dimethyl Acetylenedicarboxylate in Presence of N,N'-Dimethylbarbituric Acid. A Convenient Route to Highly Functionalized 4H-Pyrano[3,2-d]pyrimidine Derivatives. *Journal of Chemical Research - Part S* (7), pp. 386-387
- 89.** Yavari, I., Tahmassebi, D. (1998) Configurational Properties of Eight-membered Rings Containing Two Ketenimine Units. *Journal of Chemical Research - Part S* (12), pp. 782-783
- 90.** Yavari, I., Esmaili, A.A. (1998) New Synthesis of Tetraalkyl 2,3-Dihydro-5-oxopyrrolo[2,1-a]isoindole-1,2,3,3-tetracarboxylates and Tetraalkyl 2,3-Dihydro-5-oxopyrrolo[2,1-a]pyrrolidine-1,2,3,3-tetracarboxylates Mediated by Vinyltriphenylphosphonium Salts. *Journal of Chemical Research - Part S* (11), pp. 714-715
- 91.** Yavari, I., Nori-Shargh, D., Norouzi-Arasi, H., Hossaini-Tabatabaei, M.R. (1998) Configurational properties of cyclopentadeca-1,2,4,5,7,8,10,11,13,14-decaene. *Journal of Molecular Structure: THEOCHEM* 453 (1-3), pp. 59-64
- 92.** Yavari, I., Tahmassebi, D. (1998) AM1 study of conformational properties of five- to eight-membered ring ketenimines. *Journal of Molecular Structure: THEOCHEM* 452 (1-3), pp. 237-243 1
- 93.** Yavari, I., Samzadeh-Kermani, A.R. (1998) Vinylphosphonium salt mediated stereoselective synthesis of cyclobutene derivatives. A facile route to highly electron-deficient 1,3-dienes. *Tetrahedron Letters* 39 (35), pp. 6343-6344
- 94.** Yavari, I., Mosslemin, M.H. (1998) An efficient one-pot synthesis of dialkyl 2,5-dihydrofuran-2,3-dicarboxylates mediated by vinyltriphenylphosphonium salt. *Tetrahedron* 54 (31), pp. 9169-9174
- 95.** Yavari, I., Maghsoodlou, M.T. (1998) A facile synthesis of stable 1,4-diionic phosphorus compounds. *Tetrahedron Letters* 39 (25), pp. 4579-4580
- 96.** Yavari, I., Zonouzi, A., Hekmat-Shoar, R. (1998) Rotational energy barrier of the polarized carbon-carbon double bond in 3-(4-dimethylaminobenzylidene)pentane-2,4-dione. *Tetrahedron Letters* 39 (22), pp. 3841-3842
- 97.** Yavari, I., Hekmat-Shoar, R., Zonouzi, A. (1998) A new and efficient route to 4-carboxymethylcoumarins mediated by vinyltriphenylphosphonium salt. *Tetrahedron Letters* 39 (16), pp. 2391-2392
- 98.** Yavari, I., Nori-Shargh, D., Dadgar, M., Taherpour, A. (1998) AM1 study of the equilibrium geometries and racemization mechanisms in open-chain carbodiimides. Conformational and configurational energy surface of 1,3,4,6-tetraazacyclonona-1,2,4,5-tetraene. *Journal of Molecular Structure: THEOCHEM* 427 (1-3), pp. 185-190
- 99.** Yavari, I., Baharfard, R. (1998) New one-pot synthesis of tetra-alkoxycarbonylallylidenetriphenylphosphoranes. *Tetrahedron Letters* 39 (9), pp. 1051-1054

- 100.** Yavari, I., Taherpour, A., Dadgar, M. (1998) Conformational properties of simple monocyclic conjugated enediynes. *Journal of Molecular Structure: THEOCHEM* 422 (1-3), pp. 213-218

## 1999

- 101.** Yavari, I., Tahmassebi, D., Nourmohammadian, F. (1999) Conformational and configurational properties of nine-membered cyclic diketenimines. *Journal of Molecular Structure: THEOCHEM* 492, pp. 209-215
- 102.** Yavari, I., Tahmassebi, D., Jadidi, K., Nori-Shargh, D., Balalaie, S. (1999) Semi-empirical and ab initio study of pericycled naphthalene systems containing an eight-membered ring. *Journal of Molecular Structure: THEOCHEM* 489 (1), pp. 67-72
- 103.** Yavari, I., Asghari, S. (1999) Stereoselective synthesis of highly functionalized cyclobutenes. A facile route to electron-deficient 1,3-dienes. *Tetrahedron* 55 (40), pp. 11853-11858
- 104.** Yavari, I., Taherpour, A. (1999) AM1 study of conformational properties of cyclohexaketene and expanded cyclohexaketenes. *Journal of Molecular Structure: THEOCHEM* 488, pp. 141-149
- 105.** Yavari, I., Norouzi-Arasi, H., Fallah-Bagher-Shaiedai, H. (1999) AM1 study of the conformational properties of (Z,Z)-cyclonona-1,3-diene. *Journal of Chemical Research - Part S* (10), pp. 616-617
- 106.** Yavari, I., Nourmohammadian, F. (1999) Stereoselective synthesis of tetraalkyl cyclobutene-1,2,3,4-tetracarboxylates. Synthesis of tetraalkyl (Z,Z)-buta-1,3-diene-1,2,3,4-tetracarboxylates. *Journal of Chemical Research - Part S* (8), pp. 512-513
- 107.** Yavari, I., Dadgar, M. (1999) AM1 study of conformational and configurational energy surfaces of 1,3,5,7-tetraazacyclonona-1,2,5,6-tetraene, 1,3,6,8-tetraazacyclodeca-1,2,6,7-tetrene and 1,3,5,7-tetraazacyclodeca-1,2,5,6-tetraene. *Journal of Molecular Structure: THEOCHEM* 467 (2), pp. 153-160
- 108.** Yavari, I., Nori-Shargh, D., Najafian, K. (1999) Dynamics of cyclic allenes. AM1 study of conformational energy surfaces of cycloundeca-1,2,5,6-tetraene and cycloundeca-1,2,6,7-tetraene. *Journal of Molecular Structure: THEOCHEM* 467 (2), pp. 147-152
- 109.** Yavari, I., Esmaili, A.A., Asghari, S., Bijanzadeh, H.R. (1999) A new and efficient one-pot synthesis of trialkyl 6-tert-butylamino-2H-pyran-2-one-3,4,5-tricarboxylates. *Journal of Chemical Research - Part S* (6), pp. 368-369
- 110.** Yavari, I., Djahaniani, H., Maghsoodlou, M.T., Hazeri, N. (1999) Vinylphosphonium salt mediated efficient synthesis of dialkyl 1H-pyrrolizine-2,3-dicarboxylates. *Journal of Chemical Research - Part S* (6), pp. 382-383
- 111.** Yavari, I., Islami, M.R., Bijanzadeh, H.R. (1999) A facile synthesis of diastereoisomeric 1,4-diionic organophosphorus compounds. *Tetrahedron* 55 (17), pp. 5547-5554

- 112.** Yavari, I., Asghari, S., Esmaili, A.A. (1999) Vinyltriphenylphosphonium salt-mediated new synthesis of functionalized maleimides. *Journal of Chemical Research - Part S* (3), pp. 234-235
- 113.** Yavari, I., Maghsoodlou, M.T., Djahaniani, H., Hazeri, N. (1999) A facile synthesis of stable heterocyclic phosphorus ylides. *Journal of Chemical Research - Part S* (3), pp. 216-217
- 114.** Yavari, I., Jabbari, A., Samadizadeh, M. (1999) AM1 study of [C,C]8carbo- and [C,H]8carbo-cyclooctatetraene and smaller carbomers. *Journal of Chemical Research - Part S* (2), pp. 152-153
- 115.** Yavari, I., Norouzi-Arasi, H., Nori-Shargh, D., Fallah-Bagher-Shaiedai, H. (1999) Configurational properties of cyclonona-1,2,4,5,7,8-hexaene and cyclododeca-1,2,5,6,9,10-hexaene. *Journal of Chemical Research - Part S* (2), pp. 154-155

## 2000

- 116.** Shaabani, A., Sadeghi Nejat, F., Yavari, I. (2000) Rates of Acid-Catalyzed NH Proton Exchange of Enaminones, an <sup>1</sup>H NMR Study. *Iranian Journal of Chemistry and Chemical Engineering* 19 (1), pp. 29-31
- 117.** Yavari, I., Samadizadeh, M., Jabbari, A. (2000) Stereoselective synthesis of stable 1,4-diionic phosphorus compounds mediated by a vinyltriphenylphosphonium salt. *Phosphorus, Sulfur and Silicon and Related Elements* 160, pp. 43-49
- 118.** Yavari, I., Kabiri-Fard, H., Moradi, S. (2000) AM1 study of conformational properties of (E)-cyclononene. *Journal of Chemical Research - Part S* (8), pp. 384-385
- 119.** Yavari, I., Nourmohhammadian, F. (2000) Synthesis of highly functionalized stable heterocyclic phosphorus ylides. Cycloaddition reaction between conjugated phosphorus ylides and alkyl propiolates. *Tetrahedron* 56 (29), pp. 5221-5224
- 120.** Yavari, I., Nourmohhammadian, F. (2000) A simple synthesis of highly functionalized ketenimines. *Journal of Chemical Research - Part S* (5), pp. 218-219
- 121.** Shaabani, A., Teimouri, M.B., Yavari, I., Arasi, H.N., Bijanzadeh, H.R. (2000) 1,4-Diionic organophosphorus compounds: Stereoselective synthesis of dialkyl 2-(1,1,1,5,5-hexafluoro-2,4-dioxo-pentane-3-yl-3-yide)-3-triphenylphosphoniobutane-1,4-dioates. *Journal of Fluorine Chemistry* 103 (2), pp. 155-157

## 2001

- 122.** Yavari, I., Alizadeh, A. (2001) Reaction between triphenylphosphine and arylsulfonylglycyl chlorides. Synthesis of N-[(Z)-2-chloro-2-(1-hydroxy-1,1,1-triphenylphosphoranyl)-ethenyl]-1-arylsulfonamides. *Tetrahedron* 57 (49), pp. 9873-9875
- 123.** Yavari, I., Hadigheh-Rezvan, V. (2001) PM3 study of phosphines and phosphine chalcogenides. Conformational and configurational properties of tri-o-tolyl phosphine and its chalcogenides. *Phosphorus, Sulfur and Silicon and Related Elements* 174, pp. 151-162
- 124.** Yavari, I., Adib, M., Esnaashari, M. (2001) Vinylphosphonium salt mediated facile synthesis of trialkyl 4-(2-quinolyl)-1-cyclobutene-1,2,3-tricarboxylates and dialkyl 3-ethoxy-4-

- oxo-5-(2-(1H)-quinolinylidene)-2-cyclopentene-1,2-dicarboxylates. *Monatshefte fur Chemie* 132 (12), pp. 1557-1561
125. Yavari, I., Adib, M. (2001) An easy route to functionalised tetrahydropyridazines. *Journal of Chemical Research - Part S* (12), pp. 543-545
126. Yavari, I., Zabarjad-Shiraz, N. (2001) An efficient one-pot synthesis of sulphur-containing phosphorus ylides. *Phosphorus, Sulfur and Silicon and Related Elements* 176, pp. 141-149
127. Yavari, I., Jabbari, A., Tahmassebi, D., Hosseini-Tabatabaei, M.R. (2001) Ab initio study of conformational properties of cycloocta-1,5-diyne, cyclonona-1,5-diyne and cyclodeca-1,6-diyne. *Journal of Molecular Structure: THEOCHEM* 574, pp. 1-7
128. Yavari, I., Hosseini-Tabatabaei, M.R., Nori-Shargh, D., Jabbari, A. (2001) AM1 study of conformational properties of Z,Z-, E,E- and E,Z-cyclodeca-1,6-diene. *Journal of Molecular Structure: THEOCHEM* 574, pp. 9-17
129. Yavari, I., Hazeri, N., Maghsoodlou, M.T., Moradi, A. (2001) Reaction between isocyanides and N,N'-dimethylbarbituric acid. Synthesis of push-pull olefinic systems. *Journal of Chemical Research - Part S* (7), pp. 272-273
130. Yavari, I., Adib, M., Hojabri, L. (2001) Vinyltriphenylphosphonium salt mediated synthesis of functionalized coumarins. *Tetrahedron* 57 (35), pp. 7537-7540
131. Yavari, I., Adib, B., Zainalizadeh, A.R. (2001) Ab initio study of conformational properties of (Z,Z,Z)-cyclonona- 1,3,5-triene. *Journal of Molecular Structure: THEOCHEM* 571, pp. 39-44
132. Yavari, I., Hazeri, N., Maghsoodlou, M.T., Zabarjad-Shiraz, N. (2001) Dynamic 1H NMR study of aryl-nitrogen single bond and carbon-carbon double bond rotational energy barriers in two highly functionalized pyranopyrimidines. *Monatshefte fur Chemie* 132 (6), pp. 683-687
133. Hekmatshoar, R., Yavari, I., Beheshtiha, Y.S., Heravi, M.M. (2001) Reductive coupling of carbonyl compounds to pinacols with zinc in THF-saturated aqueous ammonium chloride. *Monatshefte fur Chemie* 132 (6), pp. 689-691
134. Yavari, I., Adib, M. (2001) Efficient synthesis of 5,6,7-trisubstituted 1H-pyrrolizines. *Tetrahedron* 57 (27), pp. 5873-5878
135. Yavari, I., Nourmohammadian, F., Tahmassebi, D. (2001) Ab initio study of isopyridines. *Journal of Molecular Structure: THEOCHEM* 542, pp. 199-206
136. Yavari, I., Hosseini-Tabatabaei, M.R., Nasiri, F. (2001) Semiempirical SCF MO study of ring inversion in 1,1,4,4,7,7-tetramethylcyclononane and trimeric acetone peroxide. *Journal of Molecular Structure: THEOCHEM* 538, pp. 239-244
137. Shaabani, A., Yavari, I., Teimouri, M.B., Bazgir, A., Bijanzadeh, H.R. (2001) New and efficient synthesis of dialkyl 2-[1-p-nitrophenyl-2-(alkylamino)-2-oxoethyl]malonates. *Tetrahedron* 57 (7), pp. 1375-1378
138. Yavari, I., Adib, B., Zare, K. (2001) Ab initio study of conformational properties of (Z,E,Z)-cyclonona-1,3,5-triene. *Journal of Chemical Research - Part S* (6), pp. 229-231

## 2002

139. Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2002) Reaction between heterocyclic NH-acids and dibenzoylacetylene in the presence of triphenylphosphine. Simple synthesis of 1-(3-furyl)-1H-imidazole derivatives. *Tetrahedron Letters* 43 (51), pp. 9449-9452
140. Islami, M.R., Yavari, I., Tikdari, A.M., Ebrahimi, L., Razee, S., Bijanzadeh, H.R. (2002) A practical method for synthesis of stable phosphorus ylides in aqueous media. *Russian Chemical Bulletin* 51 (12), pp. 2244-2247
141. Yavari, I., Adib, M., Sayahi, M.H. (2002) Reaction between isocyanides and dialkyl acetylenedicarboxylates in the presence of 3-methylcyclopentane-1,2,4-trione. One-pot diastereoselective synthesis of tetrahydrocyclopenta[b]pyran derivatives. *Journal of the Chemical Society. Perkin Transactions 1* (21), pp. 2343-2346
142. Yavari, I., Zabarjad-Shiraz, N., Maghsoodlou, M.T., Hazeri, N. (2002) An efficient synthesis of stable phosphorus ylides derived from hydantoin and 5,5-dialkylhydantoins. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (4), pp. 759-769
143. Yavari, I., Aghazadeh, M., Tafazzoli, M. (2002) Triphenylphosphine-catalyzed simple synthesis of dimethyl 1-aryl-4-ethoxy-5-oxo-4,5-dihydro-1H-pyrrole-2,3-dicarboxylates. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (5), pp. 1101-1107
144. Yavari, I., Hadigheh-Rezvan, V. (2002) Triphenylphosphine mediated simple synthesis of vinyl-substituted benzimidazoles. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (5), pp. 1127-1136
145. Yavari, I., Nourmohhammadian, F., Bijanzadeh, H.R. (2002) Synthesis of dimethyl 2-(2,4,6-trimethylphenoxy)-3-triphenylphosphoniobutanedioate and its application in intramolecular Wittig reactions. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (5), pp. 1147-1152
146. Yavari, I., Adib, M., Jahani-Mogaddam, F., Sayahi, M.H. (2002) A simple synthesis of stable heterocyclic phosphorus ylides derived from NH-acids. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (3), pp. 545-553
147. Yavari, I., Adib, M., Jahani-Moghaddam, F. (2002) Synthesis of stable atropisomers of dialkyl-4-ethoxy-1-(8-((2-ethoxy-2-oxoacetyl)-amino)-1-naphthyl)-5-oxo-4,5-dihydro-1H-pyrrole-2,3-dicarboxylates. *Monatshefte fur Chemie* 133 (11), pp. 1431-1436
148. Yavari, I., Kabiri-Fard, H., Moradi, S. (2002) Conformational properties of (Z,Z)-, (E,Z)-, and (E,E)-cycloocta-1,4-dienes. *Monatshefte fur Chemie* 133 (11), pp. 1459-1468
149. Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2002) Stable 1,3-diionic organophosphorus compounds derived from ethynyl phenyl ketone. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (1), pp. 81-86
150. Yavari, I., Anary-Abbasinejad, M., Alizadeh, A. (2002) Synthesis and dynamic NMR study of atropisomerism in stable 1,4-diionic phosphorus compounds. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (1), pp. 93-103

- 151.** Yavari, I., Norouzi-Arasi, H. (2002) Triphenylphosphine-catalyzed nucleophilic  $\alpha$ -addition to alkyl propiolates synthesis of  $\alpha$ -substituted alkyl acrylates. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (1), pp. 87-92
- 152.** Yavari, I., Bayat, M. (2002) Triphenylphosphine-catalyzed simple synthesis of vinyl-substituted saccharins. *Phosphorus, Sulfur and Silicon and the Related Elements* 177 (11), pp. 2537-2545
- 153.** Yavari, I., Anary-Abbasinejad, M., Alizadeh, A., Habibi, A. (2002) Stereoselective synthesis of 1,5-diionic organophosphorus compounds. *Phosphorus, Sulfur and Silicon and the Related Elements* 177 (11), pp. 2523-2527
- 154.** Yavari, I., Bayat, M., Maghsoodlou, M.T., Hazeri, N. (2002) A simple synthesis of stable phosphoranes derived from imides or acetanilide derivatives. *Phosphorus, Sulfur and Silicon and the Related Elements* 177 (11), pp. 2599-2610
- 155.** Yavari, I., Anary-Abbasinejad, M., Alizadeh, A. (2002) A simple synthesis of stable 1,4-diionic pyridinium betaines. *Monatshefte fur Chemie* 133 (10), pp. 1331-1336
- 156.** Yavari, I., Anary-Abbasinejad, M., Alizadeh, A. (2002) On the reaction between alkyl isocyanides and ethynyl phenyl ketone in the presence of N,N'-dimethylbarbituric acid. *Monatshefte fur Chemie* 133 (9), pp. 1221-1224
- 157.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2002) Stable 1,6-diionic phosphorus betaines derived from electron-deficient acetylenic compounds. *Phosphorus, Sulfur and Silicon and Related Elements* 177 (10), pp. 2379-2383
- 158.** Yavari, I., Norouzi-Arasi, H. (2002) Ab initio molecular orbital study of dehydroannulenes derived from cycloocta-1,3,5,7-tetraene. *Journal of Molecular Structure: THEOCHEM* 593, pp. 199-207
- 159.** Yavari, I., Adib, M., Bijanzadeh, H.R., Sadegi, M.M.M., Logmani-Khouzani, H., Safari, J. (2002) Rotational energy barrier of the polarized carbon-carbon double bond in quinophthalone. *Monatshefte fur Chemie* 133 (8), pp. 1109-1113
- 160.** Yavari, I., Adib, M., Hojabri, L. (2002) Vinyltriphenylphosphonium salt mediated serendipitous synthesis of aryliminophosphoranes. *Tetrahedron* 58 (36), pp. 7213-7219
- 161.** Yavari, I., Adib, M., Jahani-Moghaddam, F., Bijanzadeh, H.R. (2002) Vinylphosphonium salt mediated simple synthesis of 7-oxo-7H-pyrido[1,2,3-cd]perimidine derivatives. Dynamic NMR spectroscopic study of prototropic tautomerism in ethyl 1H-perimidine-2-carboxylate. *Tetrahedron* 58 (34), pp. 6901-6906
- 162.** Yavari, I., Adib, M., Hojabri, L. (2002) Vinyltriphenylphosphonium salt mediated synthesis of 1,4-benzoxazine and coumarin derivatives. *Tetrahedron* 58 (34), pp. 6895-6899
- 163.** Yavari, I., Zabarjad-Shiraz, N., Dehghan, S., Roohi, H., Shiri, M. (2002) An ab initio molecular orbital study of quinones of pentalene. *Journal of Molecular Structure: THEOCHEM* 589-590, pp. 459-464
- 164.** Norouzi-Arasi, H., Yavari, I., Ghaffarzadeh, F., Mortazavi, M.-S. (2002) Volatile constituents of Cymbopogon olivieri (Boiss.) Bor from Iran. *Flavour and Fragrance Journal* 17 (4), pp. 272-274

- 165.** Yavari, I., Adib, M., Sayahi, M.H. (2002) Efficient synthesis of functionalized 3H-pyrrolo[1,2-a]indoles. *Journal of the Chemical Society. Perkin Transactions 1* (13), pp. 1517-1519
- 166.** Yavari, I., Anary-Abbasinejad, M., Alizadeh, A. (2002) A novel approach to the synthesis of highly functionalized furans. *Tetrahedron Letters* 43 (25), pp. 4503-4505
- 167.** Yavari, I., Adib, M., Sayahi, M.H. (2002) An efficient diastereoselective one-pot synthesis of dihydrofuro[2',3':2,3]inden[2,1-b]furan derivatives. *Tetrahedron Letters* 43 (16), pp. 2927-2929
- 168.** Yavari, I., Esnaashari, M. (2002) An ab initio molecular orbital study of the conformational properties of all-(Z)-cyclododeca-1,4,7,10-tetraene. *Monatshefte fur Chemie* 133 (3), pp. 299-304
- 169.** Yavari, I., Moradi, S., Fard, H.K., Nourmohammadian, F., Tahmassebi, D. (2002) Ab initio molecular orbital study of valence isomers of pyridine. *Journal of Molecular Structure: THEOCHEM* 578, pp. 249-253
- 170.** Yavari, I., Bayat, M. (2002) New synthesis of highly functionalized 3-pyrrolin-2-ones. *Synthetic Communications* 32 (16), pp. 2527-2534
- 171.** Yavari, I., Esnaashari, M., Adib, M. (2002) Conformations of all-trans-cyclododeca-1,4,7,10-tetraene. *Journal of Chemical Research - Part S* (3), pp. 124-127
- 172.** Yavari, I., Zabarjad-Shiraz, N., Partovi, T. (2002) Stereoselective synthesis of new phosphorylated N,N'-dimethylbarbituric acids. *Synthetic Communications* 32 (18), pp. 2763-2769

## 2003

- 173.** Yavari, I., Nikpoor-Nezhati, M., Dehghan, S. (2003) An ab initio molecular orbital study of neutral isomers of silanaphthalenes, silaanthracenes, and silaphenanthrenes. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (12), pp. 2609-2616
- 174.** Yavari, I., Habibi, A., Hosseini-Tabatabaei, M.R., Bijanzadeh, H.R. (2003) Reaction Between 5-Isopropylidene-2,2-dimethyl-1,3-dioxane-4,6-dione and tert-Butyl Isocyanide in the Presence of Primary or Secondary Amines. *Monatshefte fur Chemie* 134 (12), pp. 1651-1658
- 175.** Yavari, I., Nasiri, F., Djahaniani, H. (2003) Triphenylphosphine catalyzed reaction between 1,3-dicarbonyl compounds and acetylenic esters. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (12), pp. 2627-2638
- 176.** Maghsoodlou, M.T., Yavari, I., Nassiri, F., Djahaniani, H., Razmjoo, Z. (2003) Reaction Between Alkyl Isocyanides and Cyclic 1,3-Diketones: A Convenient Synthesis of Functionalized 4H-Pyrans. *Monatshefte fur Chemie* 134 (12), pp. 1585-1591
- 177.** Yavari, I., Djahaniani, H., Nasiri, F. (2003) Reaction between alkyl isocyanides and dimethyl acetylenedicarboxylate in the presence of polyhydroxybenzenes. Synthesis of 4H-chromene derivatives. *Tetrahedron* 59 (47), pp. 9409-9412
- 178.** Yavari, I., Bayat, M. (2003) Synthesis of Highly Functionalized Cyclobutene Derivatives. *Monatshefte fur Chemie* 134 (9), pp. 1221-1227

- 179.** Yavari, I., Hosseini-Tabatabaei, M.R., Habibi, A. (2003) New synthesis of alkyl 1-tert-butyl-4,4-dimethyl-2,5-dioxo-pyrrolidine-3-carboxylate and dialkyl 2-(1-tert-butylcarbamoyl-1-methyl-ethyl)-malonates. *Synthetic Communications* 33 (15), pp. 2709-2717
- 180.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M., Bijanzadeh, H.R. (2003) Reaction between alkyl isocyanides and dibenzoylacetylene in the presence of strong NH-acids: Synthesis of highly functionalized aminofurans. *Tetrahedron* 59 (32), pp. 6083-6086
- 181.** Yavari, I., Adib, M., Abdolmohammadi, S., Aghazadeh, M. (2003) Synthesis and Dynamic NMR Spectroscopic Study of Dialkyl 4-Ethoxy-1-(1-naphthyl)-5-oxo-4,5-dihydro-1H-pyrrole-2,3-dicarboxylates. *Monatshefte fur Chemie* 134 (8), pp. 1093-1098
- 182.** Yavari, I., Habibi, A. (2003) Efficient synthesis of highly functionalized, S-alkyl 1-alkyl-4,4-dimethyl-2,5-dioxo-pyrrolidine-3-carbothioates. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (8), pp. 1733-1739
- 183.** Yavari, I., Jabbari, A., Moradi, S. (2003) An ab initio study of conformational properties of lenthionine. *Journal of Molecular Structure: THEOCHEM* 631, pp. 225-229
- 184.** Yavari, I., Alizadeh, A., Mohebbi, H. (2003) Addition reaction between trimethyl phosphite and dibenzoylacetylene in the presence of SH- or NH-acids. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (8), pp. 1741-1746
- 185.** Karami, H., Mousavi, M.F., Shamsipur, M., Yavari, I., Alizadeh, A.A. (2003) A new ion-selective electrode for potentiometric determination of Ce(III). *Analytical Letters* 36 (6), pp. 1065-1078
- 186.** Yavari, I., Kabiri-Fard, H., Moradi, S. (2003) Ab initio study of conformational properties of (Z,Z)-, (E,Z)- and (E,E)-cycloocta-1,3-dienes. *Journal of Molecular Structure: THEOCHEM* 623, pp. 237-244
- 187.** Yavari, I., Dehghan, S., Nikpoor-Nezhati, M. (2003) An ab initio molecular orbital study of valence bond isomers of silabenzene and phosphabenzene. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (4), pp. 869-880
- 188.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2003) Efficient synthesis of functionalized 2,5-dihydro-1,2-oxaphospholes. *Tetrahedron Letters* 44 (14), pp. 2877-2879
- 189.** Yavari, I., Bayat, M. (2003) A new synthesis of highly functionalized 2H-pyran derivatives. *Tetrahedron* 59 (11), pp. 2001-2005
- 190.** Yavari, I., Alizadeh, A. (2003) A Simple Approach to the Synthesis of 1,4-Bis(arylsulfonyl) tetrahydropyrazine-2,5-diones. *Monatshefte fur Chemie* 134 (3), pp. 435-438
- 191.** Yavari, I., Zabarjad-Shiraz, N. (2003) Triphenylphosphine Mediated Efficient Synthesis of 4-Substituted-1-methyl- 2,5-dioxo-3-imidazolines. *Monatshefte fur Chemie* 134 (3), pp. 445-451
- 192.** Yavari, I., Nikpoor-Nezhati, M., Dehghan, S. (2003) An ab initio molecular orbital study of isophosphinines. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (3), pp. 485-494

- 193.** Yavari, I., Anary-Abbasinejad, M., Alizadeh, A., Hossaini, Z. (2003) A simple and efficient approach to the synthesis of highly functionalized fused benzochromenes. *Tetrahedron* 59 (8), pp. 1289-1292
- 194.** Yavari, I., Anary-Abbasinejad, M., Hossaini, Z. (2003) Reaction between naphthols and dimethyl acetylenedicarboxylate in the presence of phosphites. Synthesis of stable oxa- $2\lambda 5$ -phosphaphenanthrenes, and benzochromene derivatives. *Organic and Biomolecular Chemistry* 1 (3), pp. 560-564
- 195.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2003) An efficient synthesis of stable sulfur-containing phosphoranes derived from 1-methylimidazole-2-thiol. *Phosphorus, Sulfur and Silicon and the Related Elements* 178 (2), pp. 269-277
- 196.** Yavari, I., Kabiri-Fard, H., Moradi, S., Adib, B., Matlobi, M. (2003) Ab initio study of structural and conformational properties of five- to nine-membered cyclic 1,2,3-trienes. *Monatshefte fur Chemie* 134 (1), pp. 23-35

## 2004

- 197.** Yavari, I., Djahaniani, H., Nasiri, F. (2004) Synthesis of highly functionalised 1H-furo[3,4-b]chromenes. *Mendeleev Communications* 14 (5), pp. 214-215
- 198.** Yavari, I., Jabbari, A., Moradi, S. (2004) Conformations of 1,2,4,6-Tetrathiepane. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)* 3044, pp. 432-436
- 199.** Yavari, I., Nasiri, F., Djahaniani, H. (2004) Synthesis and dynamic NMR study of ketenimines derived from tert-butyl isocyanide, alkyl 2-arylamino-2-oxo-acetates, and dialkyl acetylenedicarboxylates. *Molecular Diversity* 8 (4), pp. 431-435
- 200.** Yavari, I., Amiri, R., Haghddadi, M. (2004) Triphenylphosphine-mediated synthesis of 5-oxo-2,5-dihydrofurans through the reaction of dialkyl acetylenedicarboxylates and butane-2,3-dione. *Journal of Chemical Research* (11), pp. 766-767
- 201.** Yavari, I., Amiri, R., Haghddadi, M. (2004) Triphenylphosphine-mediated efficient synthesis of functionalized 2-OXO-2H-Chromenes. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (11), pp. 2163-2168
- 202.** Mosslemin, M.H., Yavari, I., Anary-Abbasinejad, M., Nateghi, M.R. (2004) Reaction between tert-butyl isocyanide and 1,1,1-trifluoro-4-aryl-butane-2,4-diones. Synthesis of new trifluoromethylated furan derivatives. *Journal of Fluorine Chemistry* 125 (10), pp. 1497-1500
- 203.** Yavari, I., Haghddadi, M., Amiri, R. (2004) Ab initio molecular orbital study of 1,2-dithiane and 1,2,4,5-tetrathiane. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (10), pp. 2015-2023
- 204.** Yavari, I., Nasiri, F., Djahaniani, H. (2004) Synthesis of fluorinated dialkyl 1-aryl-4-alkoxy-5-oxo-2,5-dihydro-1H-pyrrole-2,3-dicarboxylates. *Polish Journal of Chemistry* 78 (10), pp. 1871-1876

- 205.** Yavari, I., Nasiri, F., Moradi, L., Djahaniani, H. (2004) A simple approach to the synthesis of dialkyl 5-tert-butylamino-[2, 2']bifuranyl-3,4-dicarboxylates. *Tetrahedron Letters* 45 (38), pp. 7099-7101
- 206.** Yavari, I., Amiri, R., Haghdadi, M. (2004) Ab initio study of conformational properties of (Z,Z), (E,Z)-, and (E,E)-cyclolona-1,5-dienes. *Monatshefte fur Chemie* 135 (8), pp. 937-950
- 207.** Yavari, I., Zabarjad-Shiraz, N. (2004) Triphenylphosphine-mediated chemoselective synthesis of functionalized spiro-imidazol-4-ones. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (8), pp. 1477-1481
- 208.** Yavari, I., Djahaniani, H., Nasiri, F. (2004) A simple synthesis of highly functionalized ketenimines derived from N-aryl-2,2,2-trichloroacetamides, alkyl isocyanides and dialkyl acetylenedicarboxylates. *Collection of Czechoslovak Chemical Communications* 69 (7), pp. 1499-1505
- 209.** Yavari, I., Zabarjad-Shiraz, N., Bijanzadeh, H.R. (2004) Synthesis of sulfur-containing aryliminophosphoranes. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (7), pp. 1381-1386
- 210.** Yavari, I., Alizadeh, A. (2004) Synthesis of diastereomeric ethyl 1-benzoyl-6-(bromomethyl)-2,2,2,4-tetraphenyl-3,7-dioxa-2λ5-phosphabicyclo-[3.2.0] hept-4-ene-6-carboxylate. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (6), pp. 1003-1008
- 211.** Yavari, I., Habibi, A. (2004) Reaction between alkyl isocyanides and isopropylidene Meldrum's acid in the presence of pyrrole or indoles. *Synthesis* (7), pp. 989-991
- 212.** Mosslemin, M.H., Yavari, I., Anary-Abbasinejad, M., Nateghi, M.R. (2004) Stereoselective synthesis of highly functionalized trifluoromethylated cyclobutenes. *Synthesis* (7), pp. 1029-1032
- 213.** Norouzi-Arasi, H., Yavari, I., Alibabaei, M. (2004) Chemical constituents of the essential oil of Stachys Schtschegleevii Sosn. from iran. *Journal of Essential Oil Research* 16 (3), pp. 231-232
- 214.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2004) Simple synthesis of enaminones derived from pyridine, acetylenic compounds and cyclohexane-1,3-diones. *Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry* 43 (5), pp. 996-999
- 215.** Yavari, I., Djahaniani, H., Nasiri, F. (2004) Synthesis of highly functionalized 1-azadienes and ketenimines. *Monatshefte fur Chemie* 135 (5), pp. 543-548
- 216.** Yavari, I., Djahaniani, H., Nasiri, F. (2004) Synthesis of coumarines and 4H-chromenes through the reaction of tert-butyl isocyanide and dialkyl acetylenedicarboxylates in presence of 2-hydroxybenzaldehydes. *Synthesis* (5), pp. 679-682
- 217.** Yavari, I., Islami, M.R., Habibi, A., Tikdari, A.M., Ebrahimi, L. (2004) Synthesis of dialkyl 2-(1-cyano-2-oxo-1-phenyl-alkyl)-3-(triphenyl-λ5-phosphanylidene)-succinates. *Phosphorus, Sulfur and Silicon and the Related Elements* 179 (3), pp. 575-583
- 218.** Yavari, I., Anary-Abbasinejad, M., Hossaini, Z. (2004) Synthesis of naphtho[2,1-b]furanylium cation and its reaction with alcohols and trialkyl phosphites. *Polish Journal of Chemistry* 78 (3), pp. 361-367

- 219.** Yavari, I., Alizadeh, A. (2004) The Formation of  $\beta$ -Lactam Derivatives through the Reaction of Dibenzoylacetylene and Aryl Isocyanates in the Presence of Trivalent Phosphorus Nucleophiles. *Synthesis* (2), pp. 237-240
- 220.** Yavari, I., Djahaniani, H., Moradi, L. (2004) Synthesis of highly functionalised 2-aminofurans. *Mendeleev Communications* 14 (1), pp. 38-39
- 221.** Yavari, I., Habibi, A. (2004) Synthesis of Aryl 1-(tert-Butyl)-4,4-dimethyl-2,5-dioxo-3-pyrrolidinecarboxylates. *Polish Journal of Chemistry* 78 (1), pp. 71-74

## 2005

- 222.** Yavari, I., Mohtat, B., Zare, K., Alborzi, A.R. (2005) Diastereoselective synthesis of dialkyl 4,5,5-triacetyl-3-methylcyclopent-3-ene-1,2-dicarboxylates. *Mendeleev Communications* (6), pp. 250-252
- 223.** Norouzi-Arasi, H., Yavari, I., Chalabian, F., Baghaini, P., Kiarostami, V., Nasrabadi, M., Aminkhani, A. (2005) Volatile constituents and antimicrobial activities of *Salvia suffruticosa* Montbr. & Auch. ex Benth. from Iran. *Flavour and Fragrance Journal* 20 (6), pp. 633-636
- 224.** Yavari, I., Djahaniani, H. (2005) One-step synthesis of substituted 4,7-bis[alkyl(aryl)imino]-3-oxa-6-thia-1-azaspiro[4.4]nona-1,8-dienes. *Tetrahedron Letters* 46 (44), pp. 7491-7493
- 225.** Yavari, I., Moradi, L., Nasiri, F., Djahaniani, H. (2005) Regioselective reaction of N 1-benzyl-N 2-(4-nitrophenyl)ethanediamide and acetylenic esters. *Monatshefte fur Chemie* 136 (10), pp. 1757-1761
- 226.** Nourmohhammadian, F., Yavari, I., Mirhabibi, A.R., Moradi, S. (2005) An ab initio molecular orbital study of structural isomers of diketopyrrolopyrrole. *Dyes and Pigments* 67 (1), pp. 15-20
- 227.** Yavari, I., Djahaniani, H., Moradi, L., Nasiri, F. (2005) Triphenylphosphine-mediated serendipitous synthesis of alkyl cinnamates through the reaction of 3-hydroxy-4-methoxybenzaldehyde and dialkyl acetylenedicarboxylates. *Phosphorus, Sulfur and Silicon and the Related Elements* 180 (9), pp. 2149-2153
- 228.** Yavari, I., Nasiri, F., Djahaniani, H., Bijanzadeh, H.R. (2005) Synthesis and dynamic NMR study of fluorinated dialkyl 2-[(tert-butylimino)methylene]-3-[(2-alkoxy-2-oxoacetyl)-2-fluoroanilino]-succinates. *Journal of Chemical Research* (8), pp. 537-539
- 229.** Yavari, I., Souri, S., Soroushpour, M., Djahaniani, H., Nasiri, F. (2005) Synthesis of alkyl 3-aryloxypropenoates and alkyl 2-arylacrylates through nucleophilic addition to alkyl propiolates. *Synthesis* (11), pp. 1761-1764
- 230.** Alizadeh, A., Yavari, I. (2005) Synthesis of dimethyl (3-benzoyl-2,2,2-trimethoxy-5-phenyl-2,3-dihydro-1,2 $\lambda$ 5-oxaphosphol-4-yl)phosphonate. *Mendeleev Communications* (4), pp. 154-155
- 231.** Yavari, I., Moradi, L., Nasiri, F., Djahaniani, H. (2005) Regioselective reactions of N1-alkyl-N2-(4-nitrophenyl)ethanediamide and acetylenic esters in the presence of tert-butyl isocyanide. *Mendeleev Communications* (4), pp. 156-158

- 232.** Yavari, I., Esnaashari, M. (2005) Three-component one-pot synthesis of functionalized 1,2,3,6-tetrahydropyrano[4,3-6]pyrroles. *Synthesis* (7), pp. 1049-1051
- 233.** Yavari, I., Soroushpour, M., Souri, S., Nasiri, F., Djahaniani, H. (2005) Synthesis of 3-alkylidene-1,2,3,5,6,7-hexahydro-4H-indol-4-one derivatives in the THF-H<sub>2</sub>O system. *Mendeleev Communications* (3), pp. 120-121
- 234.** Yavari, I., Dehghan, Sh., Alborzi, A.R., Mohtat, B. (2005) Simple synthesis of dialkyl 2-(3-Oxo-3H-indol-2-yl)-but-2-enedioates. *Polish Journal of Chemistry* 79 (5), pp. 845-850
- 235.** Piri, F., Zalfard, H.A., Gahramani, A., Yavari, I. (2005) Synthesis of N-(4-methyl-1,2,3,4-tetrahydro-2 quinolinyl)-N-aryl amines. *Synthetic Communications* 35 (8), pp. 1109-1113
- 236.** Bolhasani, A., Bathaie, S.Z., Yavari, I., Moosavi-Movahedi, A.A., Ghaffari, M. (2005) Separation and purification of some components of Iranian saffron. *Asian Journal of Chemistry* 17 (2), pp. 725-729
- 237.** Yavari, I., Nasiri, F., Djahaniani, H. (2005) Synthesis of dimethyl 1-aryl-4-ethoxy-5-oxo-2,5-dihydro-1H-pyrrole-2,3-dicarboxylates mediated by triphenylphosphine. *Phosphorus, Sulfur and Silicon and the Related Elements* 180 (2), pp. 453-458
- 238.** Yavari, I., Alborzi, A.R., Dehghan, S., Nourmohammadian, F. (2005) Synthesis of dialkyl 4-ethoxy-2,5-dihydro-1-(9,10-dihydro-9,10-dioxoanthracen-1-yl)-5-oxo-1H-pyrrole-2,3-dicarboxylates. *Phosphorus, Sulfur and Silicon and the Related Elements* 180 (2), pp. 625-631
- 239.** Nourmohammadian, F., Yavari, I., Ajami, D. (2005) Ab initio molecular orbital study of dithiopyrrolopyrrole and its structural isomers. *Phosphorus, Sulfur and Silicon and the Related Elements* 180 (2), pp. 443-451
- 240.** Yavari, I., Alizadeh, A., Anary-Abbasinejad, M. (2005) Synthesis of dialkyl 2,5-dihydro-5-oxo-1,2-azaphosphole-3,4-dicarboxylates. *Molecular Diversity* 9 (1-3), pp. 241-244
- 241.** Yavari, I., Anary-Abbasinejad, M., Nasiri, F., Djahaniani, H., Alizadeh, A., Bijanzadeh, H.R. (2005) A simple approach to the synthesis of highly functionalized pyrrole derivatives. *Molecular Diversity* 9 (1-3), pp. 209-213

## 2006

- 242.** Yavari, I., Mirzaei, A., Moradi, L. (2006) Efficient synthesis of dialkyl (2Z)-2-[(E)-1-aryl-2-(3-arylquinoxalin-2-yl) ethenyl]but-2-enedioates. *Helvetica Chimica Acta* 89 (11), pp. 2825-2829
- 243.** Yavari, I., Moradi, L., Mirzaei, A. (2006) One-pot synthesis of tetraalkyl benzene-1,2,3,5-tetracarboxylates from a four-component reaction of alkyl propiolates and alkyl 2-nitroethanoates promoted by Ph<sub>3</sub>P. *Helvetica Chimica Acta* 89 (12), pp. 2918-2921
- 244.** Yavari, I., Rounaqi, A.A., Moradi, L. (2006) Conversion of thiols to disulfides using a hexamethylenetetramine-bromine complex. *Phosphorus, Sulfur and Silicon and the Related Elements* 181 (11), pp. 2659-2662
- 245.** Yavari, I., Moradi, L. (2006) One-pot synthesis of pentaalkyl 7-[(alkylamino)carbonyl]-2-oxa-1-azabicyclo[3.2.0]hept-3-ene-3,4,5,6,7-pentacarboxylate. *Helvetica Chimica Acta* 89 (9), pp. 1942-1946

- 246.** Yavari, I., Souri, S., Sirouspour, M., Djahaniani, H. (2006) Vinylphosphonium salt mediated reaction between alkyl propiolates and aminophenols or hydroxyphenols. *Synthesis* (19), pp. 3243-3249
- 247.** Yavari, I., Sabbaghan, M., Hossaini, Z. (2006) Reaction of hexachloroacetone with activated acetylenes in the presence of N-heterocycles. Synthesis of trichloromethylated bridgehead N-heterocycles. *Synlett* (15), pp. 2501-2503
- 248.** Yavari, I., Nasiri, F. (2006) Synthesis of 1-alkylamino-5-hydroxy-5-phenyl-2,3,4-tribenzoylcyclopenta-1, 3-dienes in the THF/H<sub>2</sub>O system. *Mendeleev Communications* (5), pp. 275-276 0
- 249.** Yavari, I., Hossaini, Z., Sabbaghan, M. (2006) A synthesis of pyrrolo[2,1-a]isoquinolines through the reaction of activated acetylenes and isoquinoline in the presence of ethyl bromopyruvate. *Tetrahedron Letters* 47 (34), pp. 6037-6040
- 250.** Yavari, I., Hossaini, Z., Sabbaghan, M. (2006) Synthesis of functionalized 5-imino-2,5-dihydro-furans through the reaction of isocyanides with activated acetylenes in the presence of ethyl bromopyruvate. *Molecular Diversity* 10 (3), pp. 479-482
- 251.** Yavari, I., Hossaini, Z., Alizadeh, A. (2006) Diastereoselective synthesis of meso-bisphosphonates from trialkyl(aryl) phosphites and activated acetylenes in the presence of 4-nitrophenol. *Monatshefte fur Chemie* 137 (8), pp. 1083-1088
- 252.** Yavari, I., Haghdam, M., Amiri, R. (2006) Conformational energies in organic six-membered cyclic sulfoxides. *Phosphorus, Sulfur and Silicon and the Related Elements* 181 (7), pp. 1693-1705
- 253.** Yavari, I., Amiri, R., Haghdam, M. (2006) An ab initio study of conformational energies in dioxo-, trioxo-, and tetroxo-dithianes. *Phosphorus, Sulfur and Silicon and the Related Elements* 181 (7), pp. 1681-1692
- 254.** Yavari, I., Hossaini, Z. (2006) Synthesis of fused  $\alpha$ -methylene- $\gamma$ -butyrolactone derivatives through pyridine-induced addition of phenols to dimethyl acetylenedicarboxylate. *Tetrahedron Letters* 47 (26), pp. 4465-4468
- 255.** Yavari, I., Feiz-Javadian, F. (2006) Triphenylphosphine-mediated synthesis of the E/Z isomers of methyl 6-(1,2-di(methoxycarbonyl))-8-(ethyl carbamoylformyl)-2-oxo-2H-chromene-4-carboxylate. *Phosphorus, Sulfur and Silicon and the Related Elements* 181 (5), pp. 1011-1016
- 256.** Yavari, I., Sirouspour, M., Souri, S. (2006) Three-component synthesis of functionalized 5-oxo-4,5-dihydroindeno[1,2-b] pyrans. *Molecular Diversity* 10 (2), pp. 265-270
- 257.** Yavari, I., Zare, H., Mohtat, B. (2006) Three-component synthesis of dialkyl 2-(alkylimino-methylene)3-(2,2,5-trimethyl-4,6-dioxo-1,3-dioxan-5-yl)-succinates. *Molecular Diversity* 10 (2), pp. 247-250
- 258.** Yavari, I., Djahaniani, H. (2006) Synthesis of 4H-[1,3]dithiolo[4,5-b]pyrroles through the reaction of benzoyl isothiocyanate and dialkyl acetylenedicarboxylates in the presence of Ph<sub>3</sub>P. *Tetrahedron Letters* 47 (17), pp. 2953-2956

- 259.** Yavari, I., Ahmadian-Razlighi, L. (2006) Triphenylphosphine-mediated reaction between dimethyl acetylenedicarboxylate and NH-acids derived from diaminobenzenes. *Phosphorus, Sulfur and Silicon and the Related Elements* 181 (4), pp. 771-777
- 260.** Yavari, I., Moradi, L. (2006) A synthesis of isoxazoles through the reaction of activated acetylenes and alkyl 2-nitroethanoates in the presence of triphenylphosphine. *Tetrahedron Letters* 47 (10), pp. 1627-1629
- 261.** Yavari, I., Nasiri, F., Djahaniani, H., Jabbari, A. (2006) Ab initio molecular orbital study of conformational properties of cyclohexyne, cycloheptyne, and cyclooctyne. *International Journal of Quantum Chemistry* 106 (3), pp. 697-703
- 262.** Norouzi-Arasi, H., Yavari, I., Kia-Rostami, V., Jabbari, R., Ghasvari-Jahromi, M. (2006) Volatile constituents of Stachys inflata Benth. from Iran. *Flavour and Fragrance Journal* 21 (2), pp. 262-264
- 263.** Yavari, I., Mohtat, B., Zare, H. (2006) Synthesis of 4,5-dialkyl 5-acetyl-3-oxo-3-(triphenylphosphoranylidene)- tetrahydrofuran-4,5-dicarboxylates. *Mendeleev Communications* (2), pp. 102-104
- 264.** Yavari, I., Djahaniani, H., Nasiri, F. (2006) The crystal structure of tert-Butyl coumarin-3-carboxylate. *Journal of the Iranian Chemical Society* 3 (1), pp. 46-50
- 265.** Norouzi-Arasi, H., Yavari, I., Chalabian, F., Kiarostami, V., Ghaffarzadeh, F., Nasirian, A. (2006) Chemical constituents and antimicrobial activities of the essential oil of Acroptilon repens (L.) DC. *Flavour and Fragrance Journal* 21 (2), pp. 247-249
- 266.** Yavari, I., Djahaniani, H. (2006) One-step synthesis of N-alkyl-2-aryl-2-oxoacetamides and N 2,N4-dialkyl-2-aryl-4H-1,3-benzodioxine-2,4-dicarboxamides. *Tetrahedron Letters* 47 (9), pp. 1477-1481
- 267.** Yavari, I., Zabarjad-Shiraz, N. (2006) Three-component reaction between triphenylphosphine, dialkyl acetylenedicarboxylates and urea or N-methylurea. *Molecular Diversity* 10 (1), pp. 23-27
- 268.** Yavari, I., Alborzi, A.R., Mohtat, B. (2006) Synthesis of highly functionalized 9,10-anthraquinones. *Dyes and Pigments* 68 (2-3), pp. 85-88

## 2007

- 269.** Yavari, I., Sabbaghan, M., Hosseini, N., Hossaini, Z. (2007) Four-component one-pot synthesis of functionalized ynamines from reaction of benzoyl chlorides, secondary amines, acetylenic esters and ammonium thiocyanate. *Synlett* (20), pp. 3172-3174
- 270.** Yavari, I., Souri, S. (2007) Efficient synthesis of functionalized 2-pyridones from malonyl dichloride, alkylamines and dimethyl acetylenedicarboxylate. *Synlett* (19), pp. 2969-2970
- 271.** Yavari, I., Hossaini, Z., Karimi, E. (2007) A synthesis of dialkyl phosphorylsuccinates from the reaction of NH-acids with dialkyl acetylenedicarboxylates in the presence of trialkyl(aryl) phosphites. *Monatshefte fur Chemie* 138 (12), pp. 1267-1271

- 272.** Yavari, I., Ali-Asgari, S., Porshamsian, K., Bagheri, M. (2007) Efficient synthesis of functionalized bis-(4-oxo-1,3-thiazolan-5-ylidene) acetates. *Journal of Sulfur Chemistry* 28 (5), pp. 477-482
- 273.** Yavari, I., Hossaini, Z., Sabbaghan, M., Ghazanfarpour-Darjani, M. (2007) Efficient synthesis of functionalized spiro-2,5-dihydro-1,2-λ5-oxaphospholes. *Tetrahedron* 63 (38), pp. 9423-9428
- 274.** Yavari, I., Mokhtarporyani-Sanandaj, A., Moradi, L. (2007) An efficient synthesis of a new class of spiroheterocycles: diastereoselective synthesis of dihydropyrrolo[2,1-a]isoquinolines. *Tetrahedron Letters* 48 (38), pp. 6709-6712
- 275.** Yavari, I., Zare, H. (2007) An efficient synthesis of trialkyl N-alkyl-6-methyl-2-pyridone-3,4,5-tricarboxylates. *Monatshefte fur Chemie* 138 (8), pp. 787-790
- 276.** Yavari, I., Sabbaghan, M., Ghazanfarpour-Darjani, M., Hossaini, Z. (2007) A synthesis of 1-aryl-3,5-dioxo-tetrahydro-1H-pyrazols from reaction of alkyl isocyanides, isopropylidene Meldrum's acid and arylhydrazines. *Journal of Chemical Research* (7), pp. 392-393
- 277.** Yavari, I., Hossaini, Z., Sabbaghan, M., Ghazanfarpour-Darjani, M. (2007) Reaction of N-heterocycles with acetylenedicarboxylates in the presence of N-alkylisatins or ninhydrin. Efficient synthesis of spiro compounds. *Monatshefte fur Chemie* 138 (7), pp. 677-681
- 278.** Yavari, I., Alborzi, A.R., Mohtat, B. (2007) Ph3P promoted one-pot synthesis of dialkyl 2-(2-oxopyridin-1(2H)-yl)but-2-enedioates from a reaction of 2-hydroxypyridine and dialkyl acetylenedicarboxylates. *Journal of Chemical Research* (7), pp. 397-399
- 279.** Yavari, I., Moradi, L., Mokhtarporyani-Sanandaj, A., Mirzaei, A. (2007) Efficient synthesis of trialkyl 3-phenylbuta-1,3-diene-1,2,4-tricarboxylates by a novel one-pot multicomponent reaction. *Helvetica Chimica Acta* 90 (2), pp. 392-394
- 280.** Yavari, I., Amiri, R., Haghadia, M. (2007) Diastereoselective synthesis and conformation of trans-2,3-dibenzoyl-1,4-dithiacycloheptane. *Croatica Chemica Acta* 80 (1), pp. 25-28
- 281.** Yavari, I., Zabarjad-Shiraz, N. (2007) Ab initio SCF-MO study of quinones of azulene. *Dyes and Pigments* 75 (3), pp. 669-674
- 282.** Habibi, A., Mousavifar, L., Yavari, I., Yazdanbakhsh, M.R. (2007) Synthesis of highly functionalized isoxazolinediones from one-pot reaction of alkylidene meldrum's acid with alkyl isocyanides in the presence of arylhydroxylamines. *Monatshefte fur Chemie* 138 (6), pp. 603-606
- 283.** Yavari, I., Bagheri, M., Porshamsian, K., Ali-Asgari, S. (2007) Efficient synthesis of N-substituted-N'-arylcarbonylthioureas under solvent-free conditions. *Journal of Sulfur Chemistry* 28 (3), pp. 269-273
- 284.** Yavari, I., Ghazanfarpour-Darjani, M., Sabbaghan, M., Hossaini, Z. (2007) Synthesis of dimethyl 1,2-dihydroisoquinolines through the reaction of isoquinoline and dimethyl acetylenedicarboxylate in the presence of amides. *Tetrahedron Letters* 48 (21), pp. 3749-3751
- 285.** Yavari, I., Kowsari, E. (2007) Ionic liquids as novel and recyclable reaction media for N-alkylation of amino-9,10-anthraquinones by trialkyl phosphites. *Tetrahedron Letters* 48 (21), pp. 3753-3756

- 286.** Nourmohammadian, F., Yavari, I., Mohtat, B., Shafaei, S.Z. (2007) Density functional theory study of 9,10-anthraquinone and its structural isomers. *Dyes and Pigments* 75 (2), pp. 479-482
- 287.** Yavari, I., Nader, Z.-S. (2007) Ab initio SCF-MO study of quinones of pyridine. *Dyes and Pigments* 75 (2), pp. 474-478
- 288.** Yavari, I., Sabbaghan, M., Porshamsian, K., Bagheri, M., Ali-Asgari, S., Hossaini, Z. (2007) Efficient synthesis of alkyl 2-[2-(arylcarbonylimino)-3-aryl-4-oxo-1, 3-thiazolan-5-ylidene]-acetates. *Molecular Diversity* 11 (2), pp. 81-85
- 289.** Yavari, I., Mirzaei, A., Moradi, L., Mokhtarporian-Sanandaj, A. (2007) Synthesis of 2-[2-hydroxy-2-phenyl-2H-1,4-benzoxazin-3(4H)-ylidene]-1- phenyl-1-ethanones. *Journal of Chemical Research* (4), pp. 205-206
- 290.** Yavari, I., Hazeri, N., Maghsoodlou, M.T., Souri, S. (2007) Ph3P catalyzed efficient synthesis of ethyl 2-(acetylanilino)-acrylates and ethyl (E)-3-(acetylanilino)-2-propenoates by nucleophilic addition to ethyl propiolate. *Journal of Molecular Catalysis A: Chemical* 264 (1-2), pp. 313-317
- 291.** Yavari, I., Karimi, E. (2007) Synthesis of stable phosphorus ylides by the reaction of Ph3P with activated acetylenes in the presence of dimethyl methoxymalonate. *Phosphorus, Sulfur and Silicon and the Related Elements* 182 (3), pp. 595-600
- 292.** Yavari, I., Zare, H., Mohtat, B. (2007) Reaction between 5-benzylidene-2,2-dimethyl-1,3-dioxane-4,6-dione and terf-butyl isocyanide in the presence of ethane-1,2-diol or catechol. *Journal of Chemical Research* (3), pp. 152-154
- 293.** Yavari, I., Sabbaghan, M., Hossaini, Z. (2007) Reaction between alkyl isocyanides and isopropylidene Meldrum's acid in the presence of bidentate nucleophiles. *Molecular Diversity* 11 (1), pp. 1-5
- 294.** Yavari, I., Hossaini, Z., Sabbaghan, M. (2007) Synthesis and dynamic NMR study of functionalized 1-(3-furyl)-1H-indole-2, 3-diones. *Monatshefte fur Chemie* 138 (2), pp. 107-110
- 295.** Yavari, I., Karimi, E. (2007) Synthesis of functionalized 1-azadienes by reaction of 2,6-dimethylphenyl isocyanide and acetylenic esters in the presence of CH acids. *Synthetic Communications* 37 (7), pp. 1189-1194
- 296.** Yavari, I., Karimi, E., Djahaniani, H. (2007) Isocyanide-based multicomponent synthesis of functionalized 2,6-dioxohexahydropyrimidines in 1 M aqueous glucose. *Synthetic Communications* 37 (15), pp. 2593-2599
- 297.** Yavari, I., Mirzaei, A., Moradi, L., Mokhtarporian-Sanandaj, A. (2007) Efficient synthesis of trialkyl (E)-3-{3-oxo-2-3,4-dihydro-2-(1H)- quinoxalinylidene}-prop-1-ene-1,2,3-tricarboxylates. *Synthetic Communications* 37 (7), pp. 1195-1200
- 298.** Yavari, I., Sabbaghan, M. (2007) Synthesis of functionalized pyrroles by reaction of 3,4-diacetylhexane-2,5- dione with primary amines in water. *Synthetic Communications* 37 (11), pp. 1791-1800

- 299.** Yavari, I., Seyfi, S., Hossaini, Z., Sabbaghan, M., Shirgahi-Talari, F. (2008) Efficient synthesis of 2-thioxo-1,3-thiazolanes from primary amines, CS<sub>2</sub>, and ethyl bromopyruvate. *Monatshefte fur Chemie* 139 (12), pp. 1479-1482
- 300.** Yavari, I., Karimi, E. (2008) Tandem synthesis of functionalized tetrahydro-4aH-benzo[c]isoquino[1,2-t]pyrrolo[1,2-a][1,6]naphthyridines. *Tetrahedron Letters* 49 (45), pp. 6433-6436
- 301.** Yavari, I., Hossaini, Z., Seyfi, S., Shirgahi-Talari, F. (2008) Efficient synthesis of highly substituted thiophenes from acetylenic esters, ethyl bromopyruvate, and tetramethylthiourea. *Monatshefte fur Chemie* 139 (10), pp. 1257-1259
- 302.** Yavari, I., Kowsari, E. (2008) Ionic liquids as green and recyclable solvents for the synthesis of N-substituted N'-aroylthioureas containing 9,10-anthraquinone moiety. *Journal of Sulfur Chemistry* 29 (5), pp. 529-537
- 303.** Montat, B., Jabbar, S., Ghasemi, A., Yavari, I. (2008) Synthesis of alkyl 2-[2-oxopyridin-1(2H)-yl]acrylates by nucleophilic addition of alkyl propiolates catalysed by Ph3P. *Journal of Chemical Research* (10), pp. 601-603
- 304.** Yavari, I., Sayyed-Alangi, S.Z., Sabbaghan, M., Hajinasiri, R., Iravani, N. (2008) One-pot synthesis of functionalized thioureas by reaction of benzoyl isothiocyanates, secondary amines, and alkyl propiolates. *Monatshefte fur Chemie* 139 (9), pp. 1025-1028
- 305.** Yavari, I., Hajinasiri, R., Sayyed-Alangi, S.Z., Iravani, N. (2008) Efficient synthesis of ethyl 3-alkyl-4-oxo-2-thioxo-1,3-thiazolane-5- carboxylates from the reaction of carbon disulfide and primary amines in the presence of diethyl 2-chloromalonate. *Monatshefte fur Chemie* 139 (9), pp. 1029-1031
- 306.** Movahedi, M., Kowsari, E., Mahjoub, A.R., Yavari, I. (2008) A task specific basic ionic liquid for synthesis of flower-like ZnO by hydrothermal method. *Materials Letters* 62 (23), pp. 3856-3858
- 307.** Yavari, I., Hossaini, Z., Sabbaghan, M. (2008) Efficient synthesis of 2,3,4-trisubstituted furans from the reaction of activated acetylenes with ethyl bromopyruvate in the presence of enaminones. *Monatshefte fur Chemie* 139 (8), pp. 945-948
- 308.** Yavari, I., Hosseini, N., Moradi, L. (2008) An efficient synthesis of 2-cyano-2-phenyl-2,11b-dihydro-[1,3]oxazino[2,3- a]isoquinolines by reaction of isoquinoline with electron-deficient acetylenes in the presence of benzoylcyanide. *Monatshefte fur Chemie* 139 (8), pp. 953-956
- 309.** Yavari, I., Souri, S., Sirouspour, M. (2008) Efficient one-pot synthesis of unsymmetrical 2-thioparabanic acids from oxaryl chloride, benzoyl isothiocyanate, and primary amines. *Synlett* (11), pp. 1633-1634
- 310.** Yavari, I., Hossaini, Z., Shirgahi-Talari, F., Seyfi, S. (2008) Synthesis of functionalized 1,3-thiazoles from acid chlorides, primary amines, ethyl bromopyruvate, and ammonium thiocyanate. *Synlett* (11), pp. 1631-1632

- 311.** Yavari, I., Hosseini, N., Moradi, L., Mirzaei, A. (2008) Efficient synthesis of N,N'-dialkyl-N''-dialkylaminocarbothioyl thioureas from cyclic secondary amines, CS<sub>2</sub>, and N,N'-dialkyl carbodiimides in water. *Tetrahedron Letters* 49 (27), pp. 4239-4241
- 312.** Yavari, I., Sabbaghan, M., Hossaini, Z., Ghazanfarpour-Darjani, M. (2008) Surprising formation of chlorinated butenolides from dialkyl acetylenedicarboxylates and hexachloroacetone in the presence of triphenyl phosphate. *Helvetica Chimica Acta* 91 (6), pp. 1144-1147
- 313.** Yavari, I., Sabbaghan, M., Hossaini, Z. (2008) Efficient synthesis of functionalized 2,5-dihydrofurans and 1,5-dihydro-2H-pyrrol-2-ones by reaction of isocyanides with activated acetylenes in the presence of hexachloroacetone. *Monatshefte fur Chemie* 139 (6), pp. 625-628
- 314.** Yavari, I., Hossaini, Z., Seyfi, S., Shirgahi-Talari, F. (2008) Efficient synthesis of functionalized thiazoles from acid chlorides, tetramethylthiourea, ethyl bromopyruvate, and ammonium thiocyanate. *Helvetica Chimica Acta* 91 (6), pp. 1177-1180
- 315.** Yavari, I., Mokhtarporyani-Sanandaj, A., Moradi, L., Mirzaei, A. (2008) Reaction of benzoyl chlorides with Huisgen's zwitterion: synthesis of functionalized 2,5-dihydro-1H-pyrroles and tetrasubstituted furans. *Tetrahedron* 64 (22), pp. 5221-5225
- 316.** Yavari, I., Hossaini, Z., Souri, S., Sabbaghan, M. (2008) *N*-Methylimidazole-promoted efficient synthesis of functionalized 1,3-oxazoline-2-thiones under solvent-free conditions. *Synlett* (9), pp. 1287-1288
- 317.** Yavari, I., Sabbaghan, M., Hossaini, Z. (2008) Proline-promoted efficient synthesis of 4-aryl-3,4-dihydro-2H,5H-pyrano[3,2-c]chromene-2,5-diones in aqueous media. *Synlett* (8), pp. 1153-1154
- 318.** Yavari, I., Souri, S. (2008) Synthesis of functionalized 5-oxo-2,5-dihydro-1H-pyrroles from primary alkylamines, oxalyl chloride, and dimethyl acetylenedicarboxylate. *Synlett* (8), pp. 1208-1210
- 319.** Yavari, I., Mirzaei, A., Moradi, L., Hosseini, N. (2008) Stereoselective synthesis of dialkyl 3-spiroindanedione-1,2,3,3a-tetrahydropyrrolo[1,2-a]quinoline-1,2-dicarb oxylates. *Tetrahedron Letters* 49 (15), pp. 2355-2358
- 320.** Yavari, I., Kowsari, E. (2008) Task-specific basic ionic liquid: A reusable and green catalyst for one-pot synthesis of highly functionalized pyrroles in aqueous media. *Synlett* (6), pp. 897-899
- 321.** Yavari, I., Ghazanfarpour-Darjani, M., Hossaini, Z., Sabbaghan, M., Hosseini, N. (2008) Methoxide ion promoted efficient synthesis of 1,3-oxathiolane-2-thiones by reaction of oxiranes and carbon disulfide. *Synlett* (6), pp. 889-891
- 322.** Yavari, I., Hosseini, N., Moradi, L. (2008) Efficient synthesis of highly functionalized thiazolidine-4-ones under solvent-free conditions. *Monatshefte fur Chemie* 139 (2), pp. 133-136
- 323.** Yavari, I., Hossaini, Z., Sabbaghan, M. (2008) Efficient synthesis of tetrasubstituted thiophenes by reaction of benzoyl isothiocyanates, ethyl bromopyruvate and enaminones. *Tetrahedron Letters* 49 (5), pp. 844-846

- 324.** Yavari, I., Kowsari, E. (2008) Synthesis, spectral, and thermal properties of some phosphorus-containing 9,10-anthraquininoid, thermally stable dyes . *Dyes and Pigments* 77 (1), pp. 103-110
- 325.** Yavari, I., Alborzi, A.R., Mohtat, B., Nourmohammadian, F. (2008) C-Vinylation of 1,8-dihydroxyanthraquinone promoted by triphenylphosphine. *Synthetic Communications* 38 (5), pp. 703-712
- 326.** Habibi, A., Mousavifar, L., Yazdanbakhsh, M.R., Yavari, I. (2008) Synthesis of 1-(2,6-dimethylphenyl)-N-hydroxy-4,4-dialkyl-2,5-dioxo-N-aryl- 3-pyrrolidine-carboxamides from reaction of 2,6-dimethylphenyl isocyanide, alkylidene Meldrum's acids, and arylhydroxylamines. *Synthetic Communications* 38 (6), pp. 873-880
- 327.** Khoramabadi-Zad, A., Yavari, I., Shiri, A., Bani, A. (2008) Oxidation of bisnaphthols to spironaphthalenones, revisited. *Journal of Heterocyclic Chemistry* 45 (5), pp. 1351-1358

## 2009

- 328.** Yavari, I., Hajinasiri, R., Sayyed-Alangi, S.Z., Iravani, N. (2009) An efficient synthesis of dialkyl 2-(diphenoxypyrophoryl)-3-(alkylthio)succinates from alkylthiols, triphenyl phosphite and dialkyl acetylenedicarboxylates *Journal of the Iranian Chemical Society* 6 (4), pp. 705-709
- 329.** Yavari, I., Kowsari, E. (2009) Efficient and green synthesis of tetrasubstituted pyrroles promoted by task-specific basic ionic liquids as catalyst in aqueous media *Molecular Diversity* 13 (4), pp. 519-528
- 330.** Yavari, I., Hossaini, Z., Souri, S., Seyfi, S. (2009) Diastereoselective synthesis of fused [1,3]thiazolo[1,3]oxazins and [1,3]oxazino[2,3-b][1,3]benzothiazoles *Molecular Diversity* 13 (4), pp. 439-443
- 331.** Alizadeh, K., Ghiasvand, A.R., Borzoei, M., Zohrevand, S., Rezaei, B., Hashemi, P., Shamsipur, M., Yavari, I. (2009) Experimental and computational study on the aqueous acidity constants of some new aminobenzoic acid compounds *Journal of Molecular Liquids* 149 (3), pp. 60-65
- 332.** Yavari, I., Bayat, M.J., Souri, S., Sirouspour, M. (2009) One-pot synthesis of functionalized (4-oxo-1,3-thiazinan-5-yl)acetic acids from isothiocyanates, primary alkylamines, and itaconic anhydride *Helvetica Chimica Acta* 92 (9), pp. 1903-1907
- 333.** Yavari, I., Hossaini, Z., Sabbaghian, M., Ghazanfarpour-Darjani, M. (2009) A one-pot synthesis of functionalized thiazoles from acid chlorides, secondary amines, ethyl bromopyruvate, and ammonium thiocyanate *Molecular Diversity* 13 (3), pp. 295-300
- 334.** Yavari, I., Yavari, P., Kowsari, E. (2009) Ionic liquids as novel reaction media for the synthesis of copoly(ester-amide)s containing 9,10-Anthraquinone moiety *Synthetic Communications* 39 (14), pp. 2540-2548
- 335.** Yavari, I., Souri, S., Sirouspour, M., Bayat, M.J. (2009) An efficient synthesis of functionalized 6,10-dioxo-6,10-dihydro-5H- pyrido[1,2-a]quinoxalines and 6,10-dioxo-6,10-dihydropyrido[2,1-c][1,4] benzoxazines *Synlett* (12), pp. 1921-1922

- 336.** Yavari, I., Mahjoub, A.R., Kowsari, E., Movahedi, M. (2009) Synthesis of ZnO nanostructures with controlled morphology and size in ionic liquids *Journal of Nanoparticle Research* 11 (4), pp. 861-868
- 337.** Khalilzadeh, M.A., Yavari, I., Hossaini, Z., Sadeghifar, H. (2009) N-Methylimidazole-promoted efficient synthesis of 1,3-oxazine-4-thiones under solvent-free conditions *Monatshefte fur Chemie* 140 (4), pp. 467-471
- 338.** Yavari, I., Piltan, M., Moradi, L. (2009) Synthesis of pyrrolo[2,1-a]isoquinolines from activated acetylenes, benzoylnitromethanes, and isoquinoline *Tetrahedron* 65 (10), pp. 2067-2071
- 339.** Yavari, I., Hajinasiri, R., Sayyed-Alangi, S.Z. (2009) A synthesis of diethyl alkylsulfanyl methylmalonates catalyzed by KOH in an ionic liquid *Monatshefte fur Chemie* 140 (2), pp. 205-207
- 340.** Yavari, I., Sayyed-Alangi, S.Z., Hajinasiri, R., Sajjadi-Ghotbabadi, H. (2009) A one-pot synthesis of functionalized ethyl 1,3-thiazole-5-carboxylates from thioamides or thioureas and 2-chloro-1,3-dicarbonyl compounds in an ionic liquid *Monatshefte fur Chemie* 140 (2), pp. 209-211
- 341.** Yavari, I., Karimi, E. (2009) N-hydroxyphthalimide-catalyzed oxidative production of phthalic acids from xylenes using O<sub>2</sub>/HNO<sub>3</sub> in an ionic liquid *Synthetic Communications* 39 (19), pp. 3420-3427

## 2010

- 342.** Yavari, I., Ghanbari, M.M., Shahvelayati, A.S., Ghazvini, M. (2010) Chemoselective synthesis of functionalized 2,5-dihydro-2-thioxo-1H-imidazoles from 5,5-diarylthiohydantoins and activated acetylenes. *Phosphorus, Sulfur and Silicon and the Related Elements* 185 (12), pp. 2551-2557
- 343.** Yavari, I., Djahaniani, H. (2010) Reaction between benzoyl isothiocyanate and 2,6-dimethylphenyl isocyanide: Synthesis of a sterically congested ten-membered ring containing the S-S-S moiety. *Monatshefte fur Chemie* 141 (12), pp. 1361-1364
- 344.** Yavari, I., Shahvelayati, A.S., Malekafzali, A. (2010) Efficient synthesis of functionalized 2,4-diaminothiazoles from tetramethylguanidine, isothiocyanates, and α-bromoketones. *Journal of Sulfur Chemistry* 31 (6), pp. 499-508
- 345.** Yavari, I., Sorouspour, M., Souri, S. (2010) A three-component one-pot synthesis of functionalized 5,5-dicyanocyclopenta-1,3-dienes from arylidenemalononitriles, activated acetylenes, and KCN or KSCN. *Helvetica Chimica Acta* 93 (11), pp. 2176-2182
- 346.** Yavari, I., Nematpour, M., Hossaini, Z. (2010) A synthesis of phosphorylated dioxohexahdropyrimidines from N,N'-dimethylurea, activated acetylenes, and trialkyl phosphites. *Molecular Diversity* 14 (4), pp. 617-620

- 347.** Yavari, I., Shirgahi-Talari, F., Hossaini, Z., Sabbaghan, M., Seyfi, S. (2010) Synthesis of functionalized 1,2,4-triazole-3-thiones from ammonium isothiocyanate, acid chlorides, and arylhydrazines. *Molecular Diversity* 14 (4), pp. 763-766
- 348.** Sabbaghan, M., Yavari, I., Hossaini, Z. (2010) Synthesis of functionalized chromenes from Meldrum's acid, 4-hydroxycoumarin, and ketones or aldehydes. *Combinatorial Chemistry and High Throughput Screening* 13 (9), pp. 813-817
- 349.** Yavari, I., Bayat, M.J., Soroushpour, M., Souri, S. (2010) One-pot synthesis of highly functionalized 1,2-dihydropyridines from primary alkylamines, alkyl isocyanides, and acetylenic esters. *Tetrahedron* 66 (40), pp. 7995-7999
- 350.** Yavari, I., Bayat, M.J. (2010) Ph<sub>3</sub>P-mediated tandem synthesis of functionalized cyclopentadienes from primary alkylamines and acetylenic esters. *Synlett* (15), pp. 2293-2295
- 351.** Yavari, I., Soroushpour, M., Souri, S. (2010) Potassium thiocyanate-promoted one-pot synthesis of (1,3-diaryl-2,5-dioxoimidazolidin-4-ylidene)acetates from aryl isocyanates and alkyl propiolates short communication. *Helvetica Chimica Acta* 93 (9), pp. 1851-1855
- 352.** Movahedi, M., Mahjoub, R.A., Yavari, I., Kowsari, E. (2010) Rapid synthesis of flower-Like zno nanostructures. *Journal of Nanoscience and Nanotechnology* 10 (9), pp. 6173-6176
- 353.** Yavari, I., Soroushpour, M., Souri, S. (2010) One-pot synthesis of functionalized 4-oxo-2-thioxo-1,3-thiazinanes from primary amines, CS<sub>2</sub>, and itaconic anhydride. *Molecular Diversity* 14 (3), pp. 611-615
- 354.** Yavari, I., Shahvelayati, A.S. (2010) A one-pot synthesis of tetrahydro-2,5-dioxofuran-3-yl alkylcarbamodithioates. *Phosphorus, Sulfur and Silicon and the Related Elements* 185 (8), pp. 1726-1731
- 355.** Yavari, I., Khalili, G. (2010) A diastereoselective synthesis of phosphorylated dihydro-1H-pyrazoles from dialkyl phosphites, acetylenic esters, and hydrazoneoyl chlorides. *Synlett* (12), pp. 1862-1864
- 356.** Yavari, I., Seyfi, S., Nematpour, M., Hossaini, Z. (2010) Synthesis of functionalized tetrahydro-4-oxoindeno[1,2-b]pyrroles from ninhydrin, acetylenedicarboxylates, and primary amines. *Helvetica Chimica Acta* 93 (7), pp. 1413-1417
- 357.** Yavari, I., Sanaeishoar, T., Ghazvini, M., Iravani, N. (2010) Solvent-free synthesis of functionalized 2,3-dihydrothiazoles from isothiocyanates, primary alkylamines, and 2-chloro-1,3-dicarbonyl compounds. *Journal of Sulfur Chemistry* 31 (3), pp. 169-176
- 358.** Sabbaghan, M., Yavari, I., Hossaini, Z., Souri, S. (2010) A novel one-pot synthesis of substituted quinolines. *Helvetica Chimica Acta* 93 (5), pp. 946-950
- 359.** Yavari, I., Mirzaei, A., Hossaini, Z., Souri, S. (2010) Diastereoselective synthesis of fused [1,3]oxazines from ethyl pyruvate, activated acetylenes and N-heterocycles. *Molecular Diversity* 14 (2), pp. 343-347
- 360.** Yavari, I., Seyfi, S., Hossaini, Z. (2010) Formation of trialkyl quinoline-2,3,4-tricarboxylates by reaction of isatin, dialkyl acetylenedicarboxylates, and sodium O-alkyl carbonodithioates. *Tetrahedron Letters* 51 (16), pp. 2193-2194

- 361.** Yavari, I., Mirzaei, A., Khalili, G. (2010) Solvent-free synthesis of diphenyl [2-(aminocarbonyl)-1,2-dihydroisoquinolin-1-yl]phosphonates from isoquinoline, isocyanates, and diphenyl phosphonate. *Helvetica Chimica Acta* 93 (4), pp. 654-658
- 362.** Yavari, I., Khalili, G., Mirzaei, A. (2010) Tandem synthesis of 1-(alkylamino)-2,4-diarylpyrimido[6,1-a]isoquinolin-5-iium chlorides from isoquinoline, N-alkyl-benzimidoyl chlorides, and isocyanides. *Tetrahedron Letters* 51 (8), pp. 1190-1192
- 363.** Yavari, I., Khalili, G., Mirzaei, A. (2010) Cascade synthesis of functionalized 2H-imidazo[5,1-a]-isoquinolinium chlorides from isoquinoline, chloroformamidines (=carbamimidoyl chlorides), and isocyanides. *Helvetica Chimica Acta* 93 (1), pp. 72-76
- 364.** Yavari, I., Khalili, G., Mirzaei, A. (2010) One-pot synthesis of functionalized 3-aryl-1-phenyl-1H-pyrazoles from hydrazonoyl chlorides and acetylenic esters in the presence of Ph3P. *Helvetica Chimica Acta* 93 (2), pp. 277-280
- 365.** Yavari, I., Nematpour, M., Hossaini, Z. (2010) Ph3P-mediated one-pot synthesis of functionalized 3,4-dihydro-2H-1,3-thiazines from N,N1-dialkylthioureas and activated acetylenes in water. *Monatshefte fur Chemie* 141 (2), pp. 229-232
- 366.** Yavari, I., Mirzaei, A., Moradi, L., Khalili, G. (2010) Diastereoselective synthesis of spiro-functionalized tetraalkyl benzoisoquinolopyrrolonaphthyridine-tetracarboxylates from isoquinoline, dialkyl acetylenedicarboxylates, and indane-1,3-dione. *Tetrahedron Letters* 51 (2), pp. 396-398
- 367.** Yavari, I., Mirzaei, A., Moradi, L. (2010) Solvent-free synthesis of  $\alpha$ -aminophosphonates from N-heterocycles, activated acetylenes, and diphenyl phosphite. *Synthetic Communications* 40 (16), pp. 2407-2414
- 368.** Yavari, I., Soroushpour, M., Souri, S. (2010) A one-pot synthesis of N-alkylthiazoline-2-thiones from CS<sub>2</sub>, primary amines, and 2-chloro-1,3-dicarbonyl compounds in water. *Monatshefte fur Chemie* 141 (1), pp. 49-52

## 2011

- 369.** Yavari, I., Bayat, M.J. (2011) An efficient organocatalytic method for tandem synthesis of functionalized 2-pyridones. *Tetrahedron Letters* 52 (49), pp. 6649-6651
- 370.** Yavari, I., Beheshti, S. (2011) ZnO nanoparticles catalyzed efficient one-pot three-component synthesis of 2,3-disubstituted quinalolin-4(1H)-ones under solvent-free conditions. *Journal of the Iranian Chemical Society* 8 (4), pp. 1030-1035
- 371.** Yavari, I., Aminkhani, A., Arab-Salmanabadi, S. (2011) Synthesis and dynamic NMR study of zwitterionic salts obtained from N, N'-dimethylbarbituric acid, benzaldehydes, and N, N, N', N'-tetramethylguanidine. *Monatshefte fur Chemie*, pp. 1-4 Article in Press
- 372.** Yavari, I., Beheshti, S. Reaction of primary alkylamines, heterocumulenes, and isatoic anhydride, catalyzed by magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles in H<sub>2</sub>O. *Helvetica Chimica Acta* 94 (10), pp. 1825-1830

- 373.** Yavari, I., Ghazvini, M., Aminkhani, A. (2011) Solvent-free synthesis of 1,2,3,4-tetrasubstituted pyrroles from enaminones and  $\beta$ -nitrostyrenes. *Journal of Chemical Research* 35 (10), pp. 558-560
- 374.** Yavari, I., Ghazvini, M., Azad, L., (2011) A solvent-free synthesis of 1,2,3,5-tetrasubstituted pyrroles from enaminones and  $\alpha$ -haloketones. Sanaeishoar, T. *Chinese Chemical Letters* 22 (10), pp. 1219-1222
- 375.** Yavari, I., Sanaeishoar, T., Azad, L. (2011) An efficient one-pot synthesis of trialkyl 2-(dialkoxyphosphoryl)ethene-1,1,2-tricarboxylates. Arab-Salmanabadi, S. *Journal of Chemical Research* 35 (10), pp. 561-563
- 376.** Yavari, I., Shahvelayati, A.S., Ghanbari, M., Ghazvini, M., Piltan, M. (2011) One-pot synthesis of functionalized  $\alpha$ -acyloxythioamides from N-protected  $\alpha$ -amino acids as an acid component in the Passerini reaction in an ionic liquid. *Journal of the Iranian Chemical Society* 8 (3), pp. 636-642
- 377.** Mohtat, B., Djahaniani, H., Yavari, I., Dehbalaei, M.G., Jam, S.A. (2011) Synthesis of 4H-chromene derivatives by reaction between alkyl isocyanides and dialkyl acetylenedicarboxylate in the presence of 6-hydroxyquinoline. *Chinese Chemical Letters* 22 (7), pp. 771-773
- 378.** Yavari, I., Sanaeishoar, T., Azad, L. (2011) Solvent-free synthesis of functionalized 5-imino-2,5-dihydrofurans from isocyanides, activated acetylenes and alkyl cyanoformates. *Mendeleev Communications* 21 (4), pp. 229-230
- 379.** Yavari, I., Sanaeishoar, T., Piltan, M., Azad, L. (2011) A synthesis of phosphorylated 2,4-dioxothiazolidine derivatives. *Phosphorus, Sulfur and Silicon and the Related Elements* 186 (7), pp. 1612-1619
- 380.** Yavari, I., Ghazanfarpour-Darjani, M., Solgi, Y., Ahmadian, S. (2011) Copper(I) iodide catalyzed formation of aryl hydrazides from a mitsunobo reagent and aryl halides. *Synlett* (12), pp. 1745-1747
- 381.** Yavari, I., Azad, L., Sanaeishoar, T. (2011) Synthesis of new functionalized alizarins from alizarin, acetylenic esters, and phosphorus nucleophiles., *Monatshefte fur Chemie* 142 (6), pp. 643-647
- 382.** Mohtat, B., Yavari, I., Ameri, R.E., Salahia, E. (2011) Synthesis of aza coumarines by nucleophilic addition of acetylenic esters catalysed by Ph<sub>3</sub>P. *Croatica Chemica Acta* 84 (1), pp. 123-126
- 383.** Yavari, I., Beheshti, S. (2011) A facile synthesis of 2-imino-4-methylene-1,3-dithiolanes. *Helvetica Chimica Acta* 94 (5), pp. 831-834
- 384.** Yavari, I., Sirouspour, M., Souris, S. (2011) Domino michael-O-alkylation: One-pot synthesis of dialkyl 4-oxo-2,3-dihydro-2,3-furandicarboxylates. *Molecular Diversity* 15 (2), pp. 451-456
- 385.** Yavari, I., Nasiri-Gheidari, S. (2011) Trichloroacetonitrile as a source of positive chlorine ion for trapping huisgen's zwitterions. *Helvetica Chimica Acta* 94 (5), pp. 811-816

- 386.** Yavari, I., Azad, L., Sanaeishoar, T. (2011) Synthesis of new functionalized alizarins from alizarin, acetylenic esters, and phosphorus nucleophiles. *Monatshefte fur Chemie*, 142, pp. 643-647
- 387.** Mohtat, B., Djahaniani, H., Yavari, I., Dehbalaei, M.G., Jam, S.A. (2011) Synthesis of 4H-chromene derivatives by reaction between alkyl isocyanides and dialkyl acetylenedicarboxylate in the presence of 6-hydroxyquinoline. *Chinese Chemical Letters* 22 (7) pp. 771-773
- 388.** Yavari, I., Ghazanfarpour-Darjani, M., Solgi, Y., Ahmadian, S. (2011) Triethylamine-catalyzed efficient synthesis of oxathiolanes containing a highly polarized carbon-carbon double bond from reaction of malononitrile, carbon disulfide (CS 2), and oxiranes. *Helvetica Chimica Acta* 94 (4), pp. 639-642
- 389.** Yavari, I., Sanaeishoar, T., Azad, L., Ghazvini, M. (2011) Ketenimine N-functionalization of thiazolidine-2,4-diones with acetylenes and isocyanides. *Mendeleev Communications* 21 (2), pp. 108-109
- 390.** Mohtat, B., Djahaniani, H., Yavari, I., Naderi, K. (2011) A three-component synthesis of functionalized ketenimines by the reaction of alkyl isocyanides and dialkyl acetylenedicarboxylates in the presence of 2-quinolinol. *Journal of the Serbian Chemical Society* 76 (1), pp. 13-20
- 391.** Yavari, I., Ghanbari, M.M., Azizian, J., Sheikhholeslami, F. (2011) A one-pot synthesis of functionalised 1-azadienes containing 2-thioxoimidazolidin-4-ones. *Journal of Chemical Research* 35 (2), pp. 87-88
- 392.** Yavari, I., Azad, L., Sanaeishoar, T. (2011) Triphenylphosphine-mediated chemoselective synthesis of functionalized thiazol-2(5H)-ones. *Monatshefte fur Chemie* 142 (2), pp. 177-182
- 393.** Mohtat, B., Djahaniani, H., Khorrami, R., Mashayekhi, S., Yavari, I. (2011) Three-component synthesis of functionalized 1-Azabuta-1,3-dienes from alkyl isocyanides, activated acetylenes, and pyridin-2(1H)-one or isoquinolin-1(2H)-one. *Synthetic Communications* 41 (6), pp. 784-791
- 394.** Yavari, I., Beheshti, S., Hossaini, Z., Souri, S. (2011) Solvent-free, microwave-assisted, one-pot synthesis of 2-acetyl-n,3-diaryl- 4-nitro-butanamides. *Synthetic Communications* 41 (6), pp. 907-913
- 395.** Yavari, I., Ahmadian, S., Ghazanfarpur-Darjani, M., Solgi, Y. (2011) Formation of N-sulfonylamidines by copper-catalyzed coupling of sulfonyl azides, terminal alkynes, and trialkylamines. *Tetrahedron Letters* 52 (6), pp. 668-670
- 396.** Yavari, I., Ghazvini, M., Shahvelayati, A.S., Ghanbari, M.M. (2011) A one-pot synthesis of functionalized 2,3-dihydrothiazoles from isothiocyanates, primary alkylamines, and phenacyl bromides. *Phosphorus, Sulfur and Silicon and the Related Elements* 186 (1), pp. 134-139

- 397.** Yavari, I., Solgi, Y., Ghazanfarpour-Darjani, M., Ahmadian, S. (2012) Nanocopper-mediated direct arylsulfonamidation of aryl halides with arylsulfonyl azides. *Journal of the Iranian Chemical Society* 9 (6), pp. 977-981
- 398.** Yavari, I., Nematpour, M. (2012) Tandem synthesis of highly functionalized pyrazole derivatives from terminal alkynes, sulfonyl azides, diethyl azadicarboxylate, and sodium arylsulfinate. *Molecular Diversity* 16 (4), pp. 651-657
- 399.** Yavari, I., Seyfi, S., Skoulika, S. (2012) A convenient synthesis of functionalized indenopyrazolones from indan-1,2,3-trione, benzaldehydes, and phenylhydrazine. *Helvetica Chimica Acta* 95 (9), pp. 1581-1585
- 400.** Yavari, I., Nematpour, M. (2012) Copper-catalyzed one-pot synthesis of functionalized 1,4-dihydroazete derivatives from sulfonyl azides, terminal alkynes, and tetramethylguanidine. *Synlett* 23 (15), pp. 2215-2218
- 401.** Yavari, I., Hosseinpour, R., Pashazadeh, R., Skoulika, S. (2012) Novel synthesis of functionalized indolizine derivatives from Huisgen's Zwitterions and 1-methylimidazole/dichloroketene adduct. *Synlett* 23 (14), pp. 2103-2105
- 402.** Yavari, I., Arab-Salmanabadi, S., Aminkhani, A. (2012) Synthesis of functionalized 5H-spiro[furan-2,2'-indene]-1',3',5-triones from primary amines, acetylenic esters and ninhydrin. *Journal of the Iranian Chemical Society* 9 (4), pp. 503-506
- 403.** Yavari, S., Taherpour, A.A., Yavari, I. (2012) Efficient synthesis of 2-hydroxyalkyl alkanedithioates from 1,3-diketones, CS 2, and epoxides. *Journal of Sulfur Chemistry* 33 (4), pp. 385-390
- 404.** Yavari, I., Aminkhani, A., Arab-Salmanabadi, S. (2012) Synthesis and dynamic NMR study of zwitterionic salts obtained from N,N'-dimethylbarbituric acid, benzaldehydes, and N,N,N',N'- tetramethylguanidine. *Monatshefte fur Chemie* 143 (8), pp. 1195-1198
- 405.** Piltan, M., Yavari, I., Moradi, L., Zarei, S.A. (2012) PEG-mediated catalyst-free expeditious synthesis of functionalized benzene/biaryl and fluoren-9-one derivatives from activated acetylenes and 1,3-diones. *Journal of the Korean Chemical Society* 56 (3), pp. 316-321
- 406.** Yavari, I., Hosseinpour, R., Pashazadeh, R. (2012) A synthesis of functionalized dihydro-1H-pyrroles from Nef-isocyanide adducts and enamines. *Synlett* 23 (11), pp. 1662-1666
- 407.** Yavari, S., Nasiri-Gheidari, S., Taherpour, A., Yavari, I. (2012) Synthesis of alkyl bis(dimethylamino)methylenecarbamodithioates from 1,1,3,3-tetramethylguanidine, CS 2 and oxiranes, *Chinese Chemical Letters* 23 (6) , pp. 699-702
- 408.** Yavari, I., Seyfi, S. (2012) A convenient synthesis of functionalized tricyclic frameworks containing an azocine moiety, *Synlett* 23 (8) , pp. 1209-1212
- 409.** Yavari, I., Nematpour, M., Yavari, S., Sadeghizadeh, F. Copper-catalyzed one-pot synthesis of tetrasubstituted pyrazoles from sulfonyl azides, terminal alkynes, and hydrazonoyl chlorides, *Tetrahedron Letters* 53 (15), pp. 1889-1890
- 410.** Yavari, I., Nematpour, M., Ghazanfarpour-Darjani, M. (2012) One-pot synthesis of 2,6-diamino-4-sulfonamidopyrimidines from sulfonyl azides, terminal alkynes and cyanoguanidine *Tetrahedron Letters* 53 (8), pp. 942-943

- 411.** Yavari, I., Khalili, G., Sadeghizadeh, F. (2012) A synthesis of highly functionalized pyrido[2,1-d][1,2,5]triazepines, *Synlett* (4), pp. 557-558
- 412.** Yavari, I., Nasiri-Gheidari, S., Mirzaei, (2012) A Isoquinoline-mediated S-vinylation and N-vinylation of benzo[d]oxazole-2-thiol and benzo[d]thiazole-2-thiol, *Chinese Chemical Letters* 23 (1), pp. 5-8
- 413.** Yavari, I., Arab-Salmanabadi, S., Aminkhani, (2012) A. Synthesis of functionalized azadienes from aminobenzothiazole, acetylenic esters and isocyanides, *Chinese Chemical Letters* 23 (1) , pp. 49-52
- 414.** Yavari, I., Pashazadeh, R., Hosseinpour, R. (2012) Synthesis of functionalized pyrazines and quinoxalines from Nef-isocyanide adducts and 1,2-diamines, *Helvetica Chimica Acta* 95 (1), pp. 169-172
- 415.** YAVARI, I.; KOWSARI, E. (2012) WATER IONIC LIQUID-CROWN ETHER SYSTEM CONTROLLING MORPHOLOGIES AND SIZES OF SOLUBLE POLYPYRROLE NANOSTRUCTURES AND THEIR SELF-ASSEMBLY BEHAVIORS IN THE SYSTEM. International Journal of Modern Physics: Conference Series Vol. 5, 79–86

## 2013

- 416.** Shahvelayati, A.S., Yavari, I., Delbari, A.S. (2013) Formation of thiazol-2(3H)-imines by reaction of  $\alpha$ -amino acids, arylisothiocyanates, and  $\alpha$ -bromoketones in an ionic liquid *Chinese Chemical Letters*
- 417.** Yavari, I., Pashazadeh, R., Hosseinpour, R., Ghanbari, E. (2013) From Nef-isocyanide adducts toward functionalized 5-iminothiazolidines containing polarized C=C bonds, *Helvetica Chimica Acta* 96 (12), pp. 2191-2195
- 418.** Yavari, I., Damghani, T., Nematpour, M. (2013) Copper-catalyzed one-pot synthesis of N-sulfonylalkanimidoyl thiocyanates from sulfonyl azides, alkynes, and KSCN, *Helvetica Chimica Acta* 96 (12) , pp. 2214-2217
- 419.** Yavari, I., Nematpour, M., Damghani, T. (2013) Sulfonoketenimides as key intermediates for the synthesis of 2-thioxo-2 H -1,3-thiazines and 2-arylimino-2 H -1,3-thiazines, *Molecular Diversity* 17 (4), pp. 801-808
- 420.** Piltan, M., Yavari, I., Moradi, L. (2013) Tandem synthesis of functionalized hexaalkyl benzoisoquinolinopyrrolonaphthyridine-hexacarboxylate, via isoquinoline based multi-component reaction, *Chinese Chemical Letters* 24 (11), pp. 979-983
- 421.** Yavari, I., Nematpour, M., Tavakoli, Z. (2013) Copper-catalyzed synthesis of 2H-thiopyran derivatives from alkynes, sulfonyl azides, carbon disulfide, and malononitrile, *Helvetica Chimica Acta* 96 (11), pp. 2141-2146
- 422.** Yavari, I., Nematpour, M. (2013) Copper-catalyzed one-pot synthesis of functionalized pyrroles from sulfonyl azides, alkynes, and (p-toluenesulfonyl)methyl isocyanide

*Helvetica Chimica Acta* 96 (11), pp. 2098-2102

423. Yavari, I., Nematpour, M., Bayat, M.J. (2013) A tandem synthesis of functionalized azet-2(1H)-ones and azet-2(1H)-thiones, *Molecular Diversity* 17 (4), pp. 809-815
424. Yavari, I., Bayat, M.J., Skoulika, S. (2013) A diastereoselective synthesis of functionalized 3-pyrazolidinones from  $\bar{\Lambda}$ -hydrazines, aromatic aldehydes, and acylketene, *Synlett* 24 (19), pp. 2591-2595
425. Yavari, I., Bayat, M. (2013) A novel synthesis of tetrasubstituted pyrroles via tandem benzylic oxidative cyclization, *Synlett* 24 (17), pp. 2279-2281
426. Yavari, I., Damghani, T., Nematpour, M. (2013) Copper-catalyzed one-pot synthesis of N-sulfonylalkanimidoyl thiocyanates from sulfonyl azides, alkynes, and KSCN, *Helvetica Chimica Acta* 96 (12), pp. 2214-2217
427. Yavari, I., Nematpour, M., Damghani, T. (2013) Sulfonoketenimides as key intermediates for the synthesis of 2-thioxo-2 H -1,3-thiazines and 2-arylimino-2 H -1,3-thiazines, *Molecular Diversity* 17 (4), pp. 801-808
- 428.
429. Yavari, I., Nematpour, M. (2013) Tandem synthesis of highly functionalized N-phosphorylated sulfonamido-pyrazolone derivatives, *Tetrahedron Letters* 54 (37), pp. 5061-5063
430. Yavari, I., Nematpour, M. (2013) A novel copper-catalyzed synthesis of functionalized alkynyl imidates and alkynyl thioimidates, *Tetrahedron Letters* 54 (36), pp. 4973-4974
431. Ghanbari, M.M., Yavari, I., Emadi, A. (2013) Et<sub>3</sub>N-mediated synthesis of N-vinylthiohydantoins from 5,5-diarylthiohydantoins and acetylenic esters, *Journal of Chemical Research* 37 (7), pp. 388-390
432. Yavari, I., Malekafzali, A. (2013) Formation of highly functionalized thiophenes by reaction of tetramethylthiourea, acetylenic esters, and  $\alpha$ -haloketones, *Journal of Heterocyclic Chemistry* 50 (4), pp. 992-994
433. Yavari, I., Pashazadeh, R., Hosseinpour, R., Ghanbari, E. (2013) Nef-isocyanide adducts as useful synthons in a novel synthesis of functionalized 5-imino-2-thioxothiazolidines *Tetrahedron Letters* 54 (22), pp. 2785-2787
434. Yavari, I., Nematpour, M. (2013) Synthesis of functionalized azet-2(1 H)-imines through [2+2] cycloaddition of imines and ketenimines, *Synlett* 24 (11), pp. 1420-1422
435. Yavari, I., Hosseinpour, R., Pashazadeh, R., Ghanbari, E., Skoulika, S. (2013) Nef-isocyanide-Perkow synthesis of new polarized olefins containing 2-dicyanomethylene-2,3-dihydrothiazole and 2-dicyanomethylene-1,3-dithiole moieties, *Tetrahedron* 69 (11), pp. 2462-2467
436. Yavari, I., Aminkhani, A., Skoulika, S. (2013) An efficient diastereoselective one-pot synthesis of functionalized dihydropyrrolo[1,2-a]quinolines, *Journal of the Iranian Chemical Society* 10 (1), pp. 107-111
437. Yavari, I., Nematpour, M., Sodagar, E. (2013) Copper-catalyzed tandem synthesis of highly functionalized bisamidines, *Synlett* 24 (2), pp. 161-164

- 438.** Yavari, I., Nematpour, M. (2013) Copper-catalyzed tandem synthesis of tetrasubstituted pyrimidines from alkynes, sulfonyl azides, trichloroacetonitrile, and tetramethylguanidine, *Synlett* 24 (2), pp. 165-168

## 2014

- 439.** Mahjoub, A.R., Movahedi, M., Kowsari, E., Yavari, I. (2014) Narcis-like zinc oxide: Chiral ionic liquid assisted synthesis, photoluminescence and photocatalytic activity, *Materials Science in Semiconductor Processing*, 22, 1–6
- 440.** Ghanbari, M.M., Yavari, I., Batta, G. (2014) Reaction of alkyl isocyanides and dialkyl acetylenedicarboxylates in the presence of 5,5-diaryl thiohydantoins. Synthesis of functionalized imidazo[2,1-b][1,3]thiazines, *Journal of Sulfur Chemistry* 35 (3), 312–317
- 441.** Yavari, I., Malekafzali, A., Skoulika, S. (2014) Tandem synthesis of trichloromethylated [3.3.3]propellanes from trichloroacetamidines and a ninhydrin-malononitrile adduct, *Tetrahedron Letters*, 55(20) 3140–3142
- 442.** Yavari, I., Ghazanfarpour-Darjani, M., Solgi, Y. (2014) A Copper-Catalyzed Synthesis of Symmetrical Diarylsulfanes, *Synlett*, 25 (8) 1121.
- 443.** Malekdar, M., Taherpour, A.A., Yavari, I., Larijani, K. (2014) One-pot microwave-assisted solvent-free synthesis, theoretical and experimental studies on barrier rotation of C-N bond of N-alkenyl-1,2,3-triazoles, *Structural Chemistry*, DOI 10.1007/s11224-014-0422-6
- 444.** Yavari, I., Nematpour, M., Damghani, T. (2014) Copper-catalyzed S-arylation of tetramethylguanidine-heterocumulene adducts, *Tetrahedron Letters*
- 445.** Ghanbari, M.M., Yavari, I., Emadi, A. (2014) Synthesis of imidazo[2,1-b]thiazoles through the reaction of thiohydantoins and  $\alpha$ -bromoketones, *Journal of Sulfur Chemistry* 35 (1), 57–61
- 446.** Yavari, I., Ghazanfarpour-Darjani, M., Bayat, M.J., Malekafzali, A. (2014) Sulfonoketenimides as key intermediates for the synthesis of N-tosyl-acetoxyloxy alkanimines, *Synlett*
- 447.** Yavari, I., Nematpour, M. (2014) Copper-catalyzed tandem synthesis of functionalized sulfonyl-yn-imines from sodium arylsulfinate, trichloroacetonitrile, and terminal alkynes, *Helvetica Chimica Acta*, 97 (3) 384-387.
- 448.** Yavari, I., Sodagar, E., Nematpour, M. (2014) CuO nanoparticles as effective reusable heterogeneous catalyst for S-arylation reactions, *Helvetica Chimica Acta*, 97 (3) 420-425.
- 449.** Shahvelayati, A.S., Yavari, I., Delbari, A.S. (2014) Formation of thiazol-2(3H)-imines by reaction of  $\alpha$ -amino acids, aroylisothiocyanates, and  $\alpha$ -bromoketones in an ionic liquid, *Chinese Chemical Letters*, 25 (1) 119-122.
- 450.** Yavari, I., Malekafzali, A., Seyfi, S. (2014) A synthesis of functionalized 2-imino-1,3-thiazoles from tetramethylguanidine, isothiocyanates, and 2-chloro-1,3-dicarbonyl compounds, *Journal of the Iranian Chemical Society*, 11 (2) 285

- 451.** Yavari, I., Ghazanfarpour-Darjani, M. (2014) Oxime-catalyzed formation of functionalized 1,3-oxathiolanes from aryl isothiocyanates and oxiranes, *Journal of Sulfur Chemistry* 35 (5), 477–483
- 452.** Esmaeli, N., Neshati, J., Yavari, I. Scanning electrochemical microscopy for the investigation of corrosion inhibition of triazino-benzimidazole-2-thiones in hydrochloric acid solution, Research on Chemical Intermediates, 29 December 2015, Pages 1-13
- 453.** Yavari, I., Nematpour, M., Sodagar, E. Formation of spiro[indene-2,3'-pyrazole] derivatives from hydrazonyl chlorides and ninhydrin-malononitrile adduct, Monatshefte fur Chemie, Volume 146, Issue 12, 1 December 2015, Pages 2135-2138
- 454.** Kangari, S., Yavari, I., Maasoumi, B. Synthesis and heterogeneous catalytic activity of covalently immobilized hexamine cation as a magnetically-recoverable nanocatalyst, Journal of the Iranian Chemical Society, Volume 12, Issue 10, 29 October 2015, Pages 1771-1779
- 455.** Yavari, I., Ghazanfarpour-Darjani, M., Nematpour, M. Copper-catalyzed tandem synthesis of 2-(sulfonylimino)alkanamides from N-sulfonylketenimines and alkyl isocyanides, Tetrahedron Letters, Volume 56, Issue 19, 6 May 2015, Pages 2416-2417
- 456.** Yavari, I., Nematpour, M. A direct access to heptasubstitutedbiguanides, Molecular Diversity, Volume 19, Issue 4, 30 April 2015, Pages 703-708
- 457.** Sadegh-Samiei, S., Yavari, I., Skoulika, S. Base-catalyzed formation of isoxazoles from dialkylacetylenedicarboxylates and 2-nitroacetophenones, Helvetica Chimica Acta, Volume 98, Issue 4, 1 April 2015, Pages 589-592
- 458.** Yavari, I., Sheikhi, A., Nematpour, M., Taheri, Z. Copper-catalyzed synthesis of pentasubstituted pyridines from N-sulfonyl ketenimines, 1,1,3,3-tetramethylguanidine, and acetylene dicarboxylates, Helvetica Chimica Acta, Volume 98, Issue 4, 1 April 2015, Pages 534-538
- 459.** Yavari, I., Ghazanfarpour-Darjani, M., Bayat, M.J., Malekafzali, A. Sodium hydride induced N-arylation of diisopropylazodicarboxylate by aryl trifluoromethanesulfonates, Synlett, Volume 26, Issue 7, 1 April 2015, Article number 1745, Pages 942-944
- 460.** Moradi, L., Bahrami, C., Mirzaei, A., Zarehbin, M.R., Yavari, I. A one-pot, catalyst-free synthesis of novel 2-thioxo-tetrahydropyrimidine derivatives via the three-component reaction of alkyl chloroglyoxalates, alkyl isocyanides, and thioureas, Tetrahedron Letters, Volume 56, Issue 12, 18 March 2015, Pages 1510-1512
- 461.** Farrokhi, A., Ghodrati, K., Yavari, I. Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub>/(CH<sub>2</sub>)<sub>3</sub>N+Me<sub>3</sub>Br<sub>3</sub> - core-shell nanoparticles: A novel catalyst for the solvent-free synthesis of five- and six-membered heterocycles, Catalysis Communications, Volume 63, 10 March 2015, Pages 41-46
- 462.** Yavari, I., Sodagar, E., Nematpour, M., Askarian-Amiri, M. Nanoparticulate copper(II) oxide catalyzed synthesis of guanidine derivatives and their conversion into functionalized iminoguanidines, 2015 , Synlett
- 463.** Tavakoli, Z., Yavari, I. Diastereoselective one-pot synthesis of phosphorylated N,N '- methylenediacrylamides , 2015 , Phosphorus, Sulfur and Silicon and the Related Elements
- 464.** Yavari, I., Taheri, Z., Nematpour, M., Sheikhi, A. Sulfonyl ketenimines as key intermediates in one-pot synthesis of n-sulfonyl-2-alkaneimidoyl selenocyanates , 2015 , Helvetica ChimicaActa

- 465.** Ghasemi, E., Yavari, I. A one-pot synthesis of functionalized azadienes from 2-hydroxypyridine, activated acetylenes and alkyl isocyanides , 2015, Oriental Journal of Chemistry
- 466.** Yavari, I., Hosseinpour, R., Pashazadeh, R. Formation of dialkyl 2-[3-alkoxy-1-(alkylimino)-1-chloro-3-oxopropan-2-ylidene]hydrazine-1,1-dicarboxylates of  $\alpha$ -(alkoxycarbonyl)imidoyl chlorides from phosphine-diazo ester zwitterions and nef-isocyanide adducts , 2015, Helvetica Chimica Acta
- 467.** Yavari, I., Sheikhi, A., Nematpour, M., Taheri, Z. Synthesis of Functionalized N-Sulfonylamidines from N-Sulfonylketenimines and 2-Aminobenzimidazole , 2015, Synthetic Communications
- 468.** Esmaeili, N., Neshati, J., Yavari, I. Corrosion inhibition of new thiocarbohydrazides on the carbon steel in hydrochloric acid solution, 2015, Journal of Industrial and Engineering Chemistry
- 469.** Yavari, I., Hosseinpour, R., Skoulika, S. Iodine-mediated diastereoselective cyclopropanation of arylidenemalononitriles by 2,6-dimethylquinoline, 2015, Synlett
- 470.** Soleiman-Beigi, M., Yavari, I., Sadeghizadeh, F. The direct synthesis of symmetrical disulfides and diselenides by metal-organic framework MOF-199 as an efficient heterogenouscatalyst, 2015, RSC Advances
- 471.** Ghasemi, E., Shahvelayati, A.S., Yavari, I. Ugi reaction of thiouridocarboxylic acids: A synthesis of thiourea-peptoids, Phosphorus, Sulfur and Silicon and the Related Elements, Volume 191, Issue 5, 3 May 2016, Pages 746-750
- 472.** Piltan, M., Yavari, I., Moradi, L. Synthesis of functionalized 1,2-dihydroisoquinolines via one-pot reaction of isoquinoline, alkyl propiolate, and 1,3-diketones, Journal of the Iranian Chemical Society, Volume 13, Issue 4, 1 April 2016, Pages 605-608
- 473.** Azad, L., Sanaeishoar, H., Yavari, I. A new efficient synthesis of highly functionalized alizarins from alizarin, acetylenic esters, and isocyanides, Monatshefte fur Chemie, 1 March 2016, Pages 1-6
- 474.** Manouchehri, A.L., Mirzaei, A., Yavari, I. A Diastereoselective Synthesis of Functionalized Tetrahydroindeno[2',1',3,4]pyrido[2,1-a]isoquinolines, Helvetica Chimica Acta, Volume 99, Issue 2, 1 February 2016, Pages 148-1500
- 475.** Yavari, I., Mosaferi, S. Synthesis of 1,3,5-Triazepineselone Derivatives from Acyl Isoselenocyanates and Benzene-1,2-diamine, Helvetica Chimica Acta, Volume 99, Issue 2, 1 February 2016, Pages 130-132
- 476.** Diyanatizadeh, M.H., Yavari, I. A synthesis of functionalized spiro isobenzofuran-1,6'-[1,3] thiazines from phthalic anhydride-malononitrile adduct and ammonium carbamodithioates, Journal of Sulfur Chemistry, Volume 37, Issue 1, 2 January 2016, Pages 54-60
- 477.**